





## LodeStar®. Inflatable Innovation

**LodeStar** is **the leading inflatable boat brand** from the Far East having established a well-deserved reputation for **design and quality** unmatched by any other manufacturer from the region.

LodeStar places great value on establishing an excellent rapport with its customers whose ideas find expression in the design of attractively priced LodeStar inflatables. Meeting customer needs is key to the expansion of LodeStar which has experienced accelerated sales growth at home and in Europe.

For 2008, NSA, NSA 3D-V and TriMAX models have been equipped with tapered tubes which provide a more modern, aerodynamic look as well as more space.

Accessories on all models have been facelifted to achieve not just better looks, but improved practicality as well.

The LodeStar factories are second-to-none worldwide and are highly automated with **strict control standards that guarantee constant quality**. Tests are performed to qualify each and every model. This is your assurance that they will run smoothly and comply with CE standards. The production processes and facilities of the LodeStar factories are all **fully ISO 9001:2000** certified. Our staff, whose working conditions are exemplary, take great pride in their work and are the company's prime resource.



# LodeStar CONTENTS

| $\sim 4$ | 10 | DEOT |        | <i>NEFITS</i> |
|----------|----|------|--------|---------------|
| 1 1/1    |    |      | NU KEI | VEELIS        |
|          |    |      |        |               |

06 QUICK ROLLER **ULTRA LIGHT NSA** ₩ 300 09 NSA 3D-V **TriMAX 3D-V** 11 TriMAX ALU 12 RIB Open <del>450</del> ★ 500 13 RIB Console 

14 ACCESSORIES

**SPECIFICATIONS** 





## LodeStar Benefits





Thermowelding
THERMOWELDING® guarantees
a constant quality of the seam.
Unlike overlapping hand glue
bonded seams, the
THERMOWELDING® seam is
stronger than the material
itself and is easy to repair.





#### X-Stitch™ air floor

LodeStar's high-pressure AIRDECK™ provides quick assembly and reduces storage space requirements. Thousands of X-stitched fibres give the LodeStar air deck 50% more rigidity than traditional air floor systems and is superior to the classic wooden or slatted floors in both comfort and weight.

#### Other LodeStar benefits include:



#### **Fabric**

LodeStar uses immensely strong 7 layer HAKU MEHLER® DURATEX HD™.

The DECITEX 1100 is UV and abrasion resistant. We guarantee the fabric for 5 years.



#### Warranty

LodeStar boats are built to last, providing the **highest standards of quality, reliability and durability** for professionals and sporting enthusiasts. LodeStar offers a guarantee of five years on fabric and construction. **Our global network** ensures fast, first class service support wherever you are. Please see the warranty clauses for more details.



#### LIFT 'N LOCK™

Protect your property: You might not be the only one who likes your LodeStar. To protect your boat, each foldable LodeStar has two stainless steel LIFT 'N LOCK tubes to **LOCK** your LodeStar to your yacht or a dock. The LIFT 'N LOCK tubes, together with the two bow rings, are placed in such a way that you can use them to **LIFT your LodeStar** in a stable manner and secure your boat in davits.



#### Track skeg

To improve the **perfect drive** our customers expect from a LodeStar, we added skegs to provide that **special edge**. The skegs help to ensure that your LodeStar will follow your every command.



#### V-shape hull with integrated keel



#### Double layer under tube

The bottom of the tube is **reinforced** with a double layer of fabric. This provides an **additional measure of protection** for your LodeStar.



#### Easy Enter™

After swimming or skiing, Easy Enter makes your life easy. **No problem to enter the boat** with a tired body or a heavy wet suit.



#### Aluminium floor



#### RIB bag and boat cover

OPEN RIBs are supplied with a storage bag which unzips into a boat cover **in less than a minute**.



#### Plywood under RIB deck (to fit consoles and seats)

The 330-350-410 RIBs have marine plywood laminated under the deck for **easy installation of consoles and seats**.



#### **Bow roller**



Sundeck



## Affordable basics

This classic, affordable LodeStar is equipped with a slatted floor. These slats are made of polypropylene which eliminates maintenance. Fast inflation and ease of use as a stow-away yacht tender are prime advantages of a roll-up.

















| Quick Roller           | 195 | 250 |
|------------------------|-----|-----|
| Max load (kg)          | 328 | 415 |
| Max hp                 | 3.5 | 4   |
| Max engine weight (kg) | 25  | 30  |
| Max persons            | 2   | 3+1 |



## Less is more

LodeStar Ultra Light inflatables are equipped with a high pressure AIRDECK™ and inflatable keel resulting in **extremely light boats**. The blue endcones are equipped with reinforced patches as well as extra seat webbing (on 275 only) for sea position change. These boats are specifically developed for easy transportation, compact storage and combine low weight with **large diameter tubes** and high load capacity. They make an ideal tender that fits easily in a boat locker or car boot.























| Ultra Light            | 195 | 220 | 250 | 275 |  |
|------------------------|-----|-----|-----|-----|--|
| Max load (kg)          | 372 | 448 | 460 | 495 |  |
| Max hp                 | 3.5 | 3.5 | 4   | 6   |  |
| Max engine weight (kg) | 25  | 25  | 30  | 30  |  |
| Max persons            | 2   | 3   | 3+1 | 4   |  |






LodeStar NSA inflatables are the most-tested craft with a high pressure AIRDECK™ and inflatable keel. Low weight and ideal packing dimensions make LodeStar NSA an ideal tender for yachts and cruisers. There is extra seat webbing on all models for sea position change.

The luxurious looks, outstanding quality and unique features are second-to- none.





| NSA                     | 230 | 260 | 300 | 340 |
|-------------------------|-----|-----|-----|-----|
| Max load (kg)<br>Max hp | 408 | 485 | 540 | 690 |
|                         |     | 8   | 15  | 20  |
| Max engine weight (kg)  | 30  | 50  | 60  | 75  |
| Max persons             | 3   | 4   | 5   | 6   |
|                         |     |     |     |     |






## The Foldable Rigid

The LodeStar NSA 3D-V proves again that LodeStar is at the forefront of inflatable technology and design. The AIRDECK<sup>™</sup> of the NSA 3D-V inflates into a **firm V-shape**. It leaves the bottom of the hull without wrinkles or air under the floor and gives RIB-like **performance while remaining as light** and as easy to store as the NSA AIRDECK<sup>™</sup> models. All models are equipped with extra seat webbing for sea position change.







The TriMAX with a 3D-V air floor is a total inflatable, high performance winner. The trimaran-like hull with speed tubes gives **hydrodynamic lift** allowing for high speeds. For 2008MY, there is extra lift provided through the new tapered tubes which make for a slim bow and a larger diameter at the transom. The special V-shape profiles on both sides of **the speed tubes cut through the water** and give cart-like grip.

This year, this range has gained more inside space and the seat is made of fibreglass for a longer lifespan even in tougher waters! In addition, the appearance and practicality of the tubes has been improved through superior design.





|         | TriMAX 3D-V     | 340 | 380 | 430  |  |
|---------|-----------------|-----|-----|------|--|
|         | Max load (kg)   | 765 | 900 | 1200 |  |
|         | Max hp          | 20  | 30  | 40   |  |
| Max eng | ine weight (kg) | 75  | 90  | 110  |  |
|         | Max persons     | 6   | 9   | 10   |  |



## Fast, foldable fun

The TriMAX ALU boats feature aluminium floor boards plus a trimaran-like hull. This results in less drag, fast planing and a sturdy floor structure. For 2008MY, there is extra lift provided through new tapered tubes which make for a slim bow and a larger diameter at the transom. The heavy-duty aluminium floorboards also give **extra stability**. The excellent grip makes all TriMAX models the preferred sport boats to **pull water-skiers and wakeboarders** in the manner specialized fiberglass boats.

This year, the range has gained more inside space and the seat is made of fibreglass for a longer lifespan even on tougher waters! In addition, the appearance and practicality of the tubes has been improved through superior design.















|         | TriMAX ALU              | 340 | 380 | 430 |  |
|---------|-------------------------|-----|-----|-----|--|
|         | Max load (kg)<br>Max hp | 645 | 730 | 985 |  |
|         | Max hp                  | 20  | 30  | 40  |  |
| Max eng | ine weight (kg)         | 75  | 90  | 110 |  |
|         | Max persons             | 6   | 9   | 10  |  |



## The best of both worlds

Rigid Inflatable Boats (RIB's) give a comfortable ride unlike any other boat. The tubes absorb the impact of waves while the buoyancy of the multi-chamber air tube provides the safety of an inflatable. The light weight of a RIB ensures better fuel economy and quicker



RIB Console 450 500



## Save weight; save fuel; add speed

The LodeStar RIB Console sports a range of **luxury features as standard**. Console, bench seat and sun deck are fitted with **ingeniously spacious lockers**. The deck and superstructure are mono block laminated and feature pre-fitted steering gear. The RIB Console series is most suitable for days out on the water with family and friends.













| RIB Console            | 450  | 500  |
|------------------------|------|------|
| Max load (kg)          | 1000 | 1200 |
| Max hp                 | 50   | 60   |
| Max engine weight (kg) | 130  | 130  |
| Max persons            | 8    | 9    |



## Accessories

Ask your dealer about range and availability.

#### **STORAGE & SEATING**

#### Storage bags

You can never have too much storage space on board. The bow bag and the seat can be used in combination to maximize storage space.





#### Inflatable seats

Inflatable seats reduce the effects of sea roll to ensure greater comfort. They also absorb impacts and provide a luxurious back rest for tanning on the deck.



#### **COVERS**

#### **Boat cover**

Protect your valuable LodeStar! Maintains cleanliness and ensures longer life. A must to have!



#### **AIR PUMPS**



#### **Bravo automatic inflator** & deflator

Works off a car battery to provide you with up to 300mb of pressure. Auto shutoff prevents over-pressure. Supplied complete with universal adaptors, including valve and battery connectors. 62-803905 (12v) 62-809685 4 (adapter set)

Features an automatic shutoff when pressure reaches 200 mb, with manual override for additional pressure if needed. 62-877364 (220v) 62-809685 4 (adapter set)





#### QS double action air pump

An easy-to-use, hand pump that's much quicker than a standard foot pump. Either use single action, which pumps when pushing, or double action, which pumps when pushing and pulling. QS, HR and Valiant adaptors and pressure gauge are also included.

62-889345Q01 62-889347 (3 adapter set)

#### LIGHTING

### Clamp-on stern light

Attwood® 61cm high all-around light for inflatables and other small craft which do not have permanently mounted navigation liahts.

67-808768



#### Combination bow light

Battery-operated Attwood bow light with attachment base is designed for inflatables or other surfaces where screws cannot be used

67-808766

#### **FUEL TANK**



#### Fuel tank hold-down kit

Made with polypropylene strapping for superior strength. Quick-release buckles simplify replacement of the tank. 62-809610

#### **TRAILERING**



#### Dinghy dolly launching wheels

Wheels roll easily over firm surfaces and tuck out of the way once the boat is out of the water.

62-808606A1

#### **ENGINE**



#### **Easy lift motortote**

Fits outboard engines up to 15HP (11.2kW) May be left in place permanently and is a secure handle for raising and lowering the engine.

62-809630

## **Specifications**

| SPECIFICATIONS   | MODEL            | CE<br>DESIGN<br>CATEGORY | PART<br>NUMBERS | BAGGED<br>DIMENSIONS<br>(cm)  | MAX<br>LOAD<br>(kg) | MAX<br>HP<br>(all short<br>shaft*) | MAX<br>ENGINE<br>WEIGHT<br>(kg) | MAX<br>PERSONS | NUMBER<br>OF AIR<br>CHAMBERS | C ∰ (     | d A       | a                          | b         |
|------------------|------------------|--------------------------|-----------------|-------------------------------|---------------------|------------------------------------|---------------------------------|----------------|------------------------------|-----------|-----------|----------------------------|-----------|
| SPE              |                  |                          |                 |                               | <b>♠</b>            | <b>N</b>                           |                                 |                |                              | a<br>(cm) | b<br>(cm) | c<br>Bow/<br>Stern<br>(cm) | d<br>(kg) |
| 중호               | Quick Roller 195 | No CE                    | AA860001N       | 90 x 52 x 24                  | 328                 | 3.5                                | 25                              | 2              | 3                            | 195       | 143       | 40/40                      | 20        |
| Quick<br>Roller  | Quick Roller 250 | D                        | AA250016N       | 90 x 55 x 24                  | 415                 | 4                                  | 30                              | 3+1            | 3                            | 250       | 143       | 40/40                      | 24        |
|                  | Ultra Light 195  | No CE                    | AA860002N       | 90 x 40 x 25                  | 372                 | 3.5                                | 25                              | 2              | 3+1+1                        | 195       | 143       | 40/40                      | 22        |
| Ultra Light      | Ultra Light 220  | No CE                    | AA220003N       | 100 x 70 x 25                 | 448                 | 3.5                                | 25                              | 3              | 3+1+1                        | 220       | 143       | 40/40                      | 24        |
| ]<br>]<br>]<br>] | Ultra Light 250  | D                        | AA250017N       | 100 x 60 x 26                 | 460                 | 4                                  | 30                              | 3+1            | 3+1+1                        | 250       | 143       | 40/40                      | 25        |
| Ľ                | Ultra Light 275  | D                        | AA870001N       | 100 x 70 x 26                 | 495                 | 6                                  | 30                              | 4              | 3+1+1                        | 275       | 143       | 40/40                      | 27        |
|                  | NSA 230          | No CE                    | AA230014N       | 100 x 60 x 35                 | 408                 | 4                                  | 30                              | 3              | 3+1+1                        | 230       | 154       | 35/43                      | 29        |
| 4                | NSA 260          | D                        | AA260024N       | 110 x 60 x 40                 | 485                 | 8                                  | 50                              | 4              | 3+1+1                        | 260       | 154       | 35/43                      | 37        |
| NSA              | NSA 300          | С                        | AA300034N       | 110 x 60 x 42                 | 540                 | 15                                 | 60                              | 5              | 3+1+1                        | 300       | 170       | 35/45                      | 43        |
| $\Box$           | NSA 340          | С                        | AA340076N       | 100 x 60 x 40                 | 690                 | 20                                 | 75                              | 6              | 3+1+1                        | 340       | 170       | 35/45                      | 49        |
| < ≻              | NSA 3D-V 260     | D                        | AA260025N       | 110 x 60 x 40                 | 490                 | 8                                  | 50                              | 4              | 3+1+1                        | 260       | 154       | 35/43                      | 40        |
| NSA<br>3D-V      | NSA 3D-V 300     | D                        | AA300035N       | 120 x 70 x 35                 | 615                 | 15                                 | 60                              | 5              | 3+1+1                        | 300       | 170       | 35/45                      | 44        |
| L                | TriMAX 3D-V 340  | С                        | AA340077N       | 142 x 70 x 35                 | 765                 | 20                                 | 75                              | 6              | 3+2+2                        | 340       | 170       | 35/45                      | 59        |
| TriMAX<br>3D-V   | TriMAX 3D-V 380  | С                        | AA380060N       | 142 x 75 x 40                 | 900                 | 30                                 | 90                              | 9              | 3+2+2                        | 380       | 200       | 37/50                      | 93        |
| Ë"               | TriMAX 3D-V 430  | С                        | AA430042N       | 142 x 75 x 45                 | 1200                | 40                                 | 110                             | 10             | 4+2+2                        | 430       | 200       | 37/50                      | 97        |
| T.               | TriMAX ALU 340   | С                        | AA340078N       | 120 x 70 x 35 + 100 x 60 x 15 | 645                 | 20                                 | 75                              | 6              | 3+1+2                        | 340       | 170       | 35/45                      | 71        |
| TriMAX           | TriMAX ALU 380   | С                        | AA380061N       | 142 x 70 x 40 + 122 x 66 x 15 | 730                 | 30                                 | 90                              | 9              | 3+1+2                        | 380       | 200       | 37/50                      | 125       |
| ٢                | TriMAX ALU 430   | С                        | AA430043N       | 142 x 75 x 45 + 122 x 66 x 15 | 985                 | 40                                 | 110                             | 10             | 4+1+2                        | 430       | 200       | 37/50                      | 150       |
|                  | RIB 260 Open     | D                        | AA260026N       | 215 x 100 x 45                | 400                 | 6                                  | 30                              | 3              | 3                            | 260       | 149       | 35/40                      | 52        |
|                  | RIB 290 Open     | С                        | AA310056N       | 240 x 105 x 45                | 490                 | 10                                 | 60                              | 4+1            | 3                            | 290       | 149       | 35/40                      | 59        |
| <u> </u>         | RIB 320 Open     | С                        | AA330012N       | 250 x 105 x 45                | 495                 | 20                                 | 75                              | 4+1            | 3                            | 320       | 159       | 35/40                      | 79        |
| RIB Open         | RIB 350 Open     | С                        | AA350019N       | 300 x 110 x 58                | 700                 | 30                                 | 90                              | 6              | 3                            | 345       | 170       | 42/46                      | 96        |
| <b>=</b>         | RIB 410 Open     | С                        | AA410002N       | 320 x 110 x 65                | 800                 | 40                                 | 110                             | 7              | 4                            | 410       | 180       | 47/47                      | 108       |
|                  | RIB 450 Open     | С                        | AA450043N       | 400 x 150 x 75                | 1000                | 50                                 | 130                             | 8              | 5                            | 450       | 200       | 49/49                      | 178       |
|                  | RIB 500 Open     | С                        | AA500003N       | 450 x 160 x 75                | 1200                | 60                                 | 130                             | 9              | 5                            | 500       | 220       | 56/56                      | 199       |
| g g              | RIB 450 Console  | С                        | AA450042N       | 400 x 150 x 75                | 1000                | 50                                 | 130                             | 8              | 5                            | 450       | 200       | 49/49                      | 248       |
| RIB<br>Console   | RIB 500 Console  | С                        | AA500002N       | 450 x 160 x 75                | 1200                | 60                                 | 130                             | 9              | 5                            | 500       | 220       | 56/56                      | 269       |

<sup>\*</sup> Except 450 models and up: Long shaft.



### The very best in engine power and navigation

Every LodeStar boat can come with a Mercury or Mariner outboard. These are market-leading outboards from Brunswick Marine in EMEA. You'll have the very best and most up-to-the-minute engine power to take your boat out to enjoy the delights of the water. Check with your dealer for full details.









The quality system of Brunswick Marine in EMEA is ISO 9001:2000 certified



The LodeStar factory is ISO 9001:2000 certified.



© 2007 Brunswick Marine in EMEA. All Rights Reserved.

© 2007 Brunswick Marine in EMEA, all Hights Reserved.

Brunswick Marine in EMEA continuously explores means to improve the products it designs, manufactures and distributes. Every effort is made to produce sales and service literature which is current. Changes to specifications of engines, boats and accessories are ongoing. This brochure should not be regarded as a precise guide to the latest specifications. This brochure is also not an offer for sales of any particular engine, boat or accessory. Distributors and dealers are not agents of Brunswick Marine in EMEA or one of its affiliates and they have no authority to bind Brunswick Marine in EMEA by any express undertaking or representation, including but not limited to representations of product, sales, applications or service nature. Not all products are available in all countries. Some products shown in this catalogue are equipped with optional accessories. Please see your local dealer.

visit http://www.BrunswickMarineEMEA.com