



VALIANT



TENDER • SPORT • PROFESSIONAL



VALIANT
RIGID INFLATABLE BOATS



VALIANT





THE VALIANT ADVANTAGE

Safe, stable, light, fast, fuel-efficient boats that are easy to transport, with multi-chamber tubes serving as shock absorbers

You are probably already aware of the multiple advantages of a rigid bottom inflatable boat compared to exclusively fiberglass or aluminum craft. Reduced weight means improved fuel economy. Inflatable tubes provide superior lateral stability and shock absorption in rough seas and tight maneuvering. They are more forgiving, less susceptible to impact damage and easier on equipment and crew. But let's take a minute to explore why Valiant is the only logical inflatable of choice.

Built to Last

Each Valiant model is painstakingly engineered to ensure optimum performance. Our highly skilled technical staff applies the most advanced CAD/CAM technology throughout design, planning and development. Valiant's manufacturing process is designed to produce boats with consistent and uniform quality which is why we offer one of the **strongest warranties in the industry**— five years covering our durable PVC tube materials and **10 years on Valiant's exclusive AKRON® tube material**.



Sports Series Material

Valiant boats feature extremely durable PVC material, designed specifically for inflatable craft for recreational use. The manufacturer, MEHLER Technologies of Germany, has more than 40 years experience in the manufacturing of reinforced high performance materials for the RIB industry.



Professional series material

Developed exclusively for Valiant, AKRON® polyurethane tube material was originally developed for use in our professional, military and rescue craft. Now optional on our Vanguard series recreational models, the main characteristics of AKRON include excellent resistance to abrasion (**five times greater than that of Neoprene / Hypalon**), a high tolerance to pollution and damaging U.V. rays and superior impact resistance. **AKRON tube material features a 10-year warranty.**



THERMOWELDING®

Our THERMOWELDING® process combines fusion with calendaring under high pressure to assemble the different parts of the tubes in conjunction with internal and external seam reinforcements; this combination ensures the strength of the weld surpasses the strength of the actual material.



VITECH®

Valiant semi-rigid hulls are laminated using a method from the aeronautical industry to ensure a precise strength to weight ratio. The VITECH® process ensures that the laminate and resin we use in each hull is exactly the right ratio so that it does not add unnecessary weight which reduces speed and fuel economy.



ISO 9001:2000 Certification

Because we have achieved the prestigious ISO 9001:2000 Certification relative to the design, manufacture and repair management for semi-rigid inflatable boats, you can rest assured your commercial Valiant is the result of documented processes and methods created to meet or exceed the highest standards.



Valiant is part of Brunswick Corporation, world leading manufacturer of boat engines and recreational craft. Sister brands include:



BAYLINER

MAXUM

WHALER

MARINER

MERCURY



VANGUARD 750 Cruiser



V-750 CR

New for 2008, the Vanguard 520, 570, 620 and 750 Cruiser models feature stunning two-tone tubes and stylish yet functional consoles.

The flagship of the Vanguard series, the **750 Cruiser** is loaded with standard features including a retractable bow roller, anchor locker, stern locker, stowable sundeck with lockers, center console with hydraulic steering, integral fuel tank, electric Kool Mate 40 ice chest, cushioned stern seat, GRP navigation frame, ski mast, deck shower kit, boarding ladder, boarding platform and electric bilge pump.

Available options include a table in the bow area, anchor windlass, boat cover and a Bimini sunshade.

Her exceptional list of standard features makes the Vanguard 750 Cruiser well suited for virtually any waterborne activity you, your family, and friends enjoy. Superior performance, a versatile interior design and a 300 liter fuel capacity will help you get the most out of your precious time on the water.

NOTABLE FEATURES


- Standard durable PVC fabric features a five-year warranty covering cracking, porosity and seams
- Two-tone tubes (grey and blue PVC)
- Optional heavy duty polyurethane AKRON tube material features five-times the abrasion resistance of Neoprene/Hypalon (single color tubes) and a 10-year warranty
- Attractive console design with fuel gauge, switch panels handrails, spacious electronics mounting room and an integral seat forward
- GRP Navigation Frame with integrated stern seat
- Spacious bow seating area converts to a comfortable sun lounge with cushion storage in bench lockers
- Deck shower kit, boarding ladder, boarding platform
- Double leaning helm bolster seat (S7D) with lockers, foldable table, and fire extinguisher holder



CONSOLE SEAT (left)
The integral forward seat features a cushioned seat back, double seat base with storage below.

OPTIONAL TABLE (right)
Complete the picture with this optional table for the bow seating area.





V-750 CR

Standard features, specifications and options are subject to change. Some models are shown with options. See your local Valiant dealer for the most current product offering.



POP-UP CLEATS

Pop-up stern mooring cleats hide away to prevent snags when not in use.



BOARDING PLATFORM

Boarding platform with ladder makes water access easy. (Note shower location).

CHARACTERISTICS	VANGUARD-750 Cruiser
CE Category	C
Length overall	7.49 m
Beam overall	2.85 m
Tube diameter	0.60 m
Number of chambers	7
Max. capacity weight	2,300 kg
Max. capacity persons	22
Engine shaft type	1XL
Max. engine	300 H.P. - 221 kW
Recommended engine	200 H.P. - 149 kW
Minimum engine	115 H.P. - 84.5 kW
Maximum engine weight	294 kg
Total boat weight (Exc. engine)	773 kg
Fuel tank	300 Lts

Standard Features

Accessories Plug (12 volt)
Air pump
Boarding ladder
Boarding platform
Bow locker
Bow roller (retractable)
Center console: switch panels, fuel gauge, handrails, integral forward seat
Console locker
Deck drain plug
Deck shower
Electric bilge pump (automatic)
Double rubbing strake
Five-year tube material warranty
GRP Navigation frame
Hull drain plug
Hydraulic steering
Ice chest (Kool Mate 40, electric)
Ice chest tie-down kit
Inflation/deflation valves
Integral fuel tank
Internal/external lifelines

Leaning bolster helm seat S-7D
Lifting handles
Mooring eye
Non-slip deck with teak laminate
Paddles (two, telescopic)
Pressure relief valve
Repair kit
Ski mast
Stern seat (blue/white upholstery)
Stern locker
Stern mooring cleats (retractable)
Stern towing eyes
Sundeck (removable with blue/white upholstery)
Transom plate (plastic)
Two-tone tubes (grey and blue PVC)

Options

AKRON tube material
Anchor windlass
Bimini sunshade
Boat cover
Table (for bow area)

VANGUARD 620 Cruiser



V-620 CR

Like the Vanguard 750, the **Vanguard 620 Cruiser** comes with a full complement of standard features. For 2008, the 620 includes two-tone tubes for an attractive appearance in addition to its exhilarating performance.

Other standard features for this model include a retractable bow roller, a bow locker, stowable sundeck, a newly designed center console with hydraulic steering, integral fuel tank, GRP navigation frame, ski mast, deck shower kit, boarding ladder, and a boarding platform. The Vanguard 620 Cruiser is ready for a day at play or a quiet moment relaxing in the sun. The choice is yours.

NOTABLE FEATURES

- Standard durable PVC fabric features a five-year warranty covering cracking, porosity and seams
- Two-tone tubes (grey and blue PVC)
- Optional heavy duty polyurethane AKRON tube material features five-times the abrasion resistance of Neoprene/Hypalon (single color tubes) and a 10-year warranty
- Attractive console design with fuel gauge, switch panels handrails, spacious electronics mounting room and an integral seat forward
- GRP Navigation Frame
- Spacious bow seating area converts to a comfortable sun lounge with cushion storage in bench lockers
- Deck shower kit, boarding ladder, boarding platform



V-620 CR

RETRACTABLE BOW ROLLER
Retractable bow roller facilitates anchoring.

NON-SLIP SYNTHETIC TEAK DECK
This material is attractive and reduces the risk of slipping on wet surfaces.

SPACIOUS CENTER CONSOLE
Console design features a spacious helm area for mounting electronics; includes hydraulic steering, forward seat and storage.

VITECH
VACUUM INJECTION TECHNOLOGY

PVC MATERIAL
5
YEAR
WARRANTY

TWO-TONE TUBES
Attractive grey/blue two-tone tubes available in standard PVC material covered by a five-year material warranty.

BOW SEATING

The spacious bow seating area features bench lockers in which to stow the removable cushions for the standard sundeck (shown below).



OPTIONAL BIMINI SUNSHADE

Relax in the shade afforded by this optional canvas top.

V-620 CR

STANDARD FIBERGLASS NAVIGATION FRAME
Mount electronics antennas and other equipment in this elevated station.

SKI MAST
Tow watersports enthusiasts with this standard ski mast.

Standard features, specifications and options are subject to change. Some models are shown with options. See your local Valiant dealer for the most current product offering.

CHARACTERISTICS	VANGUARD-620 Cruiser
CE Category	C
Length overall	6.15 m
Beam overall	2.50 m
Tube diameter	0.57 m
Number of chambers	5
Max. capacity weight	1,750 kg
Max. capacity persons	17
Engine shaft type	1L
Max. engine	150 H.P. - 110 kW
Recommended engine	115 H.P. - 84.5 kW
Minimum engine	90 H.P. - 66.2 kW
Maximum engine weight	231 kg
Total boat weight (Exc. engine)	486 kg
Fuel tank	106 Lts

Standard Features

Accessories Plug (12 volt)
Air pump
Boarding ladder
Boarding platform
Bow locker
Bow roller (retractable)
Center console: switch panels, fuel gauge, handrails, integral forward seat
Console locker
Deck drain plug
Deck shower
Electric bilge pump (automatic)
Double rubbing strake
Five-year tube material warranty
GRP Navigation frame
Hull drain plug
Hydraulic steering
Inflation/deflation valves
Integral fuel tank

Internal/external lifelines
Lifting handles
Mooring eye
Non-slip deck with teak laminate
Paddles (two, telescopic)
Pressure relief valve
Repair kit
Ski mast
Stern seat (blue/white upholstery)
Stern locker
Stern mooring cleats (retractable)
Stern towing eyes
Sundeck (removable with blue/white upholstery)
Transom plate (plastic)
Two-tone tubes (grey and blue PVC)

Options

AKRON tube material
Bimini sunshade
Boat cover

VANGUARD 620T/750T Sport Series

Standard features, specifications and options are subject to change. Some models are shown with options. See your local Valiant dealer for the most current product offering.



SPACIOUS CENTER CONSOLE

Console design features a spacious helm area for mounting electronics; includes hydraulic steering, forward seat and storage compartment.

NAVIGATION FRAME OPTION

Mount electronics antennas and other equipment on this elevated station.



PVC MATERIAL

5
YEAR
WARRANTY



SKI MAST OPTION

Tow watersports enthusiasts with this optional ski mast.

NON-SLIP SYNTHETIC TEAK DECK

This material is attractive and reduces the risk of slipping on wet surfaces.



SUNDECK OPTION

This comfort option includes removable blue and white cushions that stow conveniently in the bench lockers below.

V-620T



STERN LOCKER

The helm seat base features additional storage compartments with easy access to the electrical bilge pump.

The Vanguard Sport series gives you the opportunity to outfit your boat with precisely the features and options you desire. Using the spacious 620 or 750 base platforms, you can select from a wide array of options to customize your Valiant for what you want to do.

Featuring big load carrying capacities, these boats offer great performance without compromising a high degree of comfort and security. You'll look great too, thanks to the two-tone tube design that's new for 2008.

Other standard features include a bow cleat, anchor locker, bow locker, center console with hydraulic steering, stern seat, stern lockers and an electric bilge pump to name but a few.

NOTABLE FEATURES

- Standard durable PVC fabric features a five-year warranty covering cracking, porosity and seams
- Two-tone tubes (grey and blue PVC)
- Optional heavy duty polyurethane AKRON tube material features five-times the abrasion resistance of Neoprene/Hypalon (single color tubes) and a 10-year warranty
- Attractive console design with fuel gauge, switch panels handrails, spacious electronics mounting room and an integral seat forward
- Big load carrying capacity hulls

VITECH
VACUUM INJECTION TECHNOLOGY

PVC MATERIAL
5
YEAR
WARRANTY

SPACIOUS BOW ANCHOR LOCKER
Conveniently located storage compartment for anchor and lines.



NAVIGATION FRAME OPTION
Mount electronics antennas and other equipment on this elevated station.

TWO-TONE TUBES
Attractive grey/blue two-tone tubes available in standard PVC material covered by a five-year material warranty.

V-750T



SPACIOUS CENTER CONSOLE
Console design features a spacious helm area for mounting electronics; includes hydraulic steering, forward seat and storage area below.

Standard features, specifications and options are subject to change. Some models are shown with options. See your local Valiant dealer for the most current product offering.



SKI MAST OPTION
Tow watersports enthusiasts with this optional ski mast.

OPTIONAL TELESCOPING BOARDING LADDER S-5
This convenient option facilitates getting in and out of the boat with ease.



CHARACTERISTICS	VANGUARD-620	VANGUARD-750
CE Category	C	C
Length overall	6.15 m	7.49 m
Beam overall	2.50 m	2.85 m
Tube diameter	0.57 m	0.60 m
Number of chambers	5	7
Max. capacity weight	1,750 kg	2,300 kg
Max. capacity persons	17	22
Engine shaft type	1L	1XL
Max. engine	150 H.P. - 110 kW	300 H.P. - 221 kW
Recommended engine	115 H.P. - 84.5 kW	200 H.P. - 149 kW
Minimum engine	90 H.P. - 66.2 kW	115 H.P. - 84.5 kW
Maximum engine weight	231 kg	294 kg
Total boat weight (Exc. engine)	486 kg	773 kg
Fuel tank	106 Lts	300 Lts

Standard Features

Air pump
Bow cleat
Bow locker
Bow locker
Center console: switch panels, fuel gauge, handrails, integral forward seat
Console locker
Deck drain plug
Electric bilge pump (automatic)
Double rubbing strake
Five-year tube material warranty
Hull drain plug
Hydraulic steering
Inflation/deflation valves
Integral fuel tank
Internal/external lifelines
Lifting handles
Mooring eye
Non-slip deck with teak laminate
Paddles (two, telescopic)
Pressure relief valve

Repair kit

Stern seat (blue/white upholstery)
Stern locker
Stern towing eyes
Transom plate (plastic)
Two-tone tubes (grey and blue PVC)

Options

AKRON tube material
Bimini sunshade
Boarding ladder S-5
Boarding Platform
Boat cover
Bow roller
Deck shower
Ice chest Marine 72
Ice chest Marine 72 cushion (white)
Ice chest tie down kit
Navigation frame S-6/7
Ski mast
Sundeck (removable with blue/white upholstery)

VANGUARD 520/570 Sport Series



V-570

The popular and attractive Vanguard Sport Series models feature generous beams for maximum interior space without compromising ease of transport and fuel economy. The additional beam provides additional surface area for quick planing and enhanced lateral stability.

These models feature attractive two-tone tubes and stylish console designs with ample room for mounting electronics.

The numerous standard features include a bow locker, center console with hydraulic steering, a backrest seat, integral fuel tank, boarding ladder and electric bilge pump. A vast array of options is also available to cater to individual needs.

NOTABLE FEATURES

- Standard durable PVC fabric features a five-year warranty covering cracking, porosity and seams
- Two-tone tubes (grey and blue PVC). The 570 Sport also offers a red/grey combination
- Optional heavy duty polyurethane AKRON tube material features five-times the abrasion resistance of Neoprene/Hypalon (single color tubes) and a 10-year warranty
- Attractive console design with fuel gauge, switch panels handrails, spacious electronics mounting room and an integral seat forward
- Integral fuel tank



Optional Sun Lounge
on the V-570



V-520

BOW LOCKER

Spacious latching storage compartment for anchor and lines.

FUEL FILL

In-deck fuel fill for integral fuel tank.



CONSOLE LOCKER

Stow larger items out of the way in this convenient console locker.



NAVIGATION FRAME S-5 OPTION

Mount electronics antennas and other equipment on this elevated station.

NON-SLIP SYNTHETIC TEAK DECK

This material is attractive and reduces the risk of slipping on wet surfaces.



TRANSPORT BAG

The optional sundeck comes with a convenient transport bag.



STERN LOCKER

The stern locker provides easy access to the electric bilge pump and other rigging.

V-520

Standard features, specifications and options are subject to change. Some models are shown with options. See your local Valiant dealer for the most current product offering.

CHARACTERISTICS	VANGUARD-520	VANGUARD-570
CE Category	C	C
Length overall	5.20 m	5.65 m
Beam overall	2.18 m	2.40 m
Tube diameter	0.48 m	0.55 m
Number of chambers	4+1	5+1
Max. capacity weight	1,150 kg	1,450 kg
Max. capacity persons	9	15
Engine shaft type	L	L
Max. engine	100 H.P. - 73.5 kW	135 H.P. - 99.2 kW
Recommended engine	80 H.P. - 58.8 kW	100 H.P. - 73.5 kW
Minimum engine	40 H.P. - 29.4 kW	60 H.P. - 44.1 kW
Maximum engine weight	181 kg	195 kg
Total boat weight (Exc. engine)	262 kg	375 kg
Fuel tank	70 Lts	106 Lts

Standard Features

Boarding ladder S-5
Bow cleat
Bow locker
Center console (S-5 for V-520, S-6 for V-570)
Deck drain plug
Electric bilge pump (automatic)
Five-year tube material warranty
Folding backrest seat with blue/white upholstery (S-5 V-520 only)
Folding backrest seat with blue/white upholstery (S-6 V-570 only)
Foot pump
Hull drain plug
Hydraulic steering
Mechanical steering (V520LTD)
Inflation/deflation valves
Integral fuel tank
Internal/external lifelines
Lifting handles
Mooring eye
Non-slip deck with teak laminate
Paddles (two, telescopic)

Pressure relief valve
Repair kit
Rubbing strake (blue/grey, 570 also offers grey)
Stern locker
Stern towing eyes
Transom plate (plastic)
Two-tone tubes (grey and blue PVC; 570 also offers red and grey)

Options

AKRON tube material
Bimini sunshade
Boat cover
Boarding ladder S-5 (520 option)
Bow roller
Ice chest Marine 48
Ice chest Marine 48 cushion (white)
Ice chest tie down kit
Navigation frame S-5
Sundeck (with blue/white upholstery)

VANGUARD 400/450/490 Sport Series



V-400

Easy to use, compact and easy to store once the season is over, the Vanguard 400/450/490 Sport Series models are affordable and excellent for operation in lakes, bays and near coast recreational activities.

Each fiberglass hull is filled with foam making it unsinkable; additionally, the foam provides noise and vibration absorption for a quieter, more comfortable ride.

Despite their compact size, these models feature comfortable interiors, ample passenger capacities and multiple storage compartments.

Standard features on this series include a fixed S-4 center console with mechanical steering, storage compartment and windscreen, and a backrest seat (S-4 for the 400 and 450, S-5 for the 490). Notable options include a boarding ladder, navigation frame and ice chest.

NOTABLE FEATURES


- Available in durable PVC or polyurethane fabrics (light grey) featuring a five-year warranty covering cracking, porosity and seams
- Fast planing, unsinkable, foam-filled fiberglass hull
- Easy to transport and store
- Numerous standard features and options
- Sundeck option available on the 450 and 490 models



V-450



V-400



V-450

Standard features, specifications and options are subject to change. Some models are shown with options. See your local Valiant dealer for the most current product offering.

CHARACTERISTICS	VANGUARD-400	VANGUARD-450	VANGUARD-490
CE Category	C	C	C
Length overall	4.00 m	4.50 m	4.90 m
Beam overall	1.77 m	1.94 m	1.94 m
Tube diameter	0.46 m	0.48 m	0.48 m
Number of chambers	3+1	3+1	4+1
Max. capacity weight	800 kg	1,000 kg	1,100 kg
Max. capacity persons	6	7	8
Engine shaft type	L	L	L
Max. engine	40 H.P. - 29.4 kW	60 H.P. - 44.1 kW	80 H.P. - 58.8 kW
Recommended engine	25 H.P. - 18.4 kW	40 H.P. - 29.4 kW	60 H.P. - 44.1 kW
Minimum engine	13.5 H.P. - 9.9 kW	25 H.P. - 18.4 kW	30 H.P. - 22.1 kW
Maximum engine weight	106 kg	112 kg	181 kg
Total boat weight (Exc. engine)	142 kg	163 kg	213 kg

Standard Features

Backrest seat S-4 (folding backrest seat S-5 on the V-490)
Bow cleat
Bow locker
Center console S-4: steering wheel, storage tray
Console locker
Deck drain plug
Five-year tube material warranty
Foot pump
Inflation/deflation valves
Unsinkable foam-filled hull
Internal/external lifelines
Lifting handles
Mooring eye
Non-slip deck

Paddles (two, telescopic)
Repair kit
Rubbing strake (blue with grey stripe)
Stern towing eyes
Transom plate (plastic)

Options

Boat cover
Boarding ladder S-4
Ice chest Marine 25
Ice chest tie down kit
Navigation frame S-4
Sundeck (with supports) only for V-450/490



DYNAMIC 300/340/380 Basic Series



D-380

The Dynamic Basic Series models are ideal boats for first-time buyers, or as tenders for larger yachts. These models exemplify the Rigid Inflatable Boat concept: stable, high load carrying capacities, lightweight and excellent seaworthiness.

They are extremely easy to transport, launch and retrieve. Each model features davit lifting points and attractive non-slip synthetic teak deck.

The Basic models are tiller steered for light weight and superior performance with low horsepower. Family and Sport package options are available to equip the boats with seating and remote steering.

NOTABLE FEATURES

- Durable PVC fabric (light grey) featuring a five-year warranty covering cracking, porosity and seams
- Extremely light weight, contributing to excellent performance with lower horsepower
- Easy to transport and store (ideal for davits)
- Large diameter tubes afford a comfortable ride
- Optional tube colors available (blue, orange, pink, red, yellow)



D-300



D-340





BOW LIFTING EYES
Ideal for daviting, the Dynamic Basic series models feature recessed bow lifting eyes.

NON-SLIP SYNTHETIC TEAK DECK
This material is attractive and reduces the risk of slipping on wet surfaces.

LIFELINES
Integral lifelines provide an extra measure of security while underway.

LIFTING HANDLES
Strategically placed lifting handles simplify launching and retrieval.

DECK DRAIN PLUG
Remove the drain plug to allow rainwater or other accumulated water to escape, thus reducing weight.

RUBBING STRAKE
This non-marring rub strake is designed to protect the tubes from impact and abrasion.



STANDARD FEATURES
Each Dynamic comes complete with telescoping paddles, a foot pump, fuel tank tie strap and a repair kit.

Standard features, specifications and options are subject to change. Some models are shown with options. See your local Valiant dealer for the most current product offering.

D-340

CHARACTERISTICS	DYNAMIC-300	DYNAMIC-340	DYNAMIC-380
CE Category	C	C	C
Length overall	3.00 m	3.40 m	3.80 m
Beam overall	1.64 m	1.64 m	1.64 m
Tube diameter	0.42 m	0.42 m	0.42 m
Number of chambers	2	3	3
Max. capacity weight	470 kg	560 kg	600 kg
Max. capacity persons	4	4	5
Engine shaft type	S	S	S
Max. engine	9.9 H.P. - 7.3 kW	20 H.P. - 14.7 kW	25 H.P. - 18.4 kW
Recommended engine	8 H.P. - 5.9 kW	13.5 H.P. - 9.9 kW	15 H.P. - 11.0 kW
Minimum engine	6 H.P. - 4.4 kW	8 H.P. - 5.9 kW	10 H.P. - 7.4 kW
Maximum engine weight	50 kg	55 kg	55 kg
Total boat weight (Exc. engine)	44 kg	75 kg	87 kg

Standard Features
Bow handle
Bow lifting eyes
Bow towing/mooring eye
Deck drain plug
Fuel tank tie down strap
Five-year tube material warranty
Foot pump
Inflation/deflation valves
Unsinkable foam-filled hull
Lifelines
Lifting handles
Non-slip synthetic teak deck

Paddles (two, telescopic)
Repair kit
Rubbing strake
Stern lifting eyes
Transom pad
Transom plate (plastic)

Options
Boat cover
Family package:
- Center Console S-3
- Backrest Seat S-3
Sport Package:
- Jockey Console S-3

DYNAMIC 240/270/300 Tender Series



D-240

Manufactured using VITECH (Vacuum Injection Technology), the Dynamic Tender series is recognized as being the lightest R.I.B. tender on the market. These models feature durable PVC tube fabric in white or grey with a five-year warranty covering cracking, porosity and seams. The fiberglass deck surface features a non-slip pattern for more secure footing.


The tender series is designed for rowing or low horsepower propulsion. Lifting eyes and lifting handles make them easy to launch and retrieve. Accordingly, these models function as attractive, practical solutions to the tender needs of both motor and sailing vessels.

NOTABLE FEATURES

- Durable PVC fabric (light grey or white) featuring a five-year warranty covering cracking, porosity and seams
- Extremely light weight, contributing to excellent performance with lower horsepower
- Easy to row, tow or davit
- Oars can be removed for storage when not in use
- Optional tube colors available (blue, orange, pink, red, yellow)



D-240



D-300

CHARACTERISTICS	DYNAMIC-240	DYNAMIC-270	DYNAMIC-300
CE Category	-	D	C
Length overall	2.40 m	2.70 m	3.00 m
Beam overall	1.40 m	1.40 m	1.64 m
Tube diameter	0.38 m	0.38 m	0.42 m
Number of chambers	2	2	2
Max. capacity weight	350 kg	400 kg	470 kg
Max. capacity persons	3	3+1	4
Engine shaft type	S	S	S
Max. engine	6 H.P. - 4.4 kW	6 H.P. - 4.4 kW	9.9 H.P. - 7.3 kW
Recommended engine	4 H.P. - 2.9 kW	5 H.P. - 3.68 kW	8 H.P. - 5.9 kW
Minimum engine	2.5 H.P. - 1.8 kW	4 H.P. - 2.9 kW	6 H.P. - 4.4 kW
Maximum engine weight	34 kg	35 kg	40 kg
Total boat weight (Exc. engine)	35 kg	36 kg	44 kg

Standard Features

Bow handle
Bow lifting eyes
Bow towing/mooring eye
Deck drain plug
Fiberglass seat
Fuel tank tie down strap
Five-year tube material warranty
Foot pump
Inflation/deflation valves
Unsinkable foam-filled hull

Lifelines

Lifting handles
Non-slip deck
Oars (two, telescopic)
Oar locks
Repair kit
Rubbing strake
Stern lifting eyes
Transom pad
Transom plate (plastic)

Options

Boat cover

DR 400/450/490 Diving & Rescue Series



DR-450

Our “Diving & Rescue” series is designed for maximum versatility to satisfy the demands of diving operations, rescue organizations and other professional applications. The design of each DR hull has been carefully developed to address a variety of different tasks and sea conditions. With an 18 degree deadrise at the transom, each design achieves an excellent balance of seaworthy performance, speed, running comfort, load carrying capacity and stability.

The DR models can be manufactured either with PVC or AKRON material and feature extra strong accessories, including double rubbing strakes, lifelines with stainless steel rings, reinforcements with non-slip finish on top of the tubes, heavy duty inflation valves and pressure relief valves as standard equipment.

The compact DR 400/450/490 models feature superior portability, quick planing characteristics and low fuel consumption. For big performance in a small package, count on the DR series.

NOTABLE FEATURES

- Durable PVC fabric featuring a five-year warranty covering cracking, porosity and seams (**optional AKRON tube material features a 10-year warranty**)
- Versatile hull design for optimum seaworthiness and comfort under a variety of sea conditions
- Heavy duty standard features include double rubbing strakes, lifelines with stainless steel rings, and reinforcements with non-slip finish on tubes
- Standard tube colors: dark grey or orange; other colors are available as options
- Unsinkable, foam-filled fiberglass hull
- Easy to trailer, launch and retrieve



DR-400



DR-450



DR-490



HEAVY-DUTY AKRON TUBE MATERIAL OPTION
Designed specifically for Valiant professional series applications, AKRON features five-times the abrasion resistance of Neoprene/Hypalon and a 10-year tube material warranty.



BOW LOCKER
Stow anchors, line and rode in this convenient bow locker.



UNSYNKABLE HULL
These DR hulls are filled with foam making them unsinkable; additionally, the foam provides noise and vibration absorption for a quieter, more comfortable ride.

TUBE REINFORCEMENTS
These heavy duty tube reinforcements feature a non-skid surface to promote more secure footing.



OPTIONAL BOARDING LADDER S-4
This convenient option facilitates getting in and out of the boat with ease.



CONSOLE FUEL TANK LOCKER
Fuel tanks stow in the jockey console bench seat to maximize usable cockpit interior.

STERN TOWING EYES
Stern towing eyes are mounted in the fiberglass transom.

Standard features, specifications and options are subject to change. Some models are shown with options. See your local Valiant dealer for the most current product offering.

DR-450

CHARACTERISTICS	DR-400	DR-450	DR-490
CE Category	C	C	C
Length overall	4.00 m	4.50 m	4.90 m
Beam overall	1.77 m	1.94 m	1.94 m
Tube diameter	0.46 m	0.48 m	0.48 m
Number of chambers	3+1	3+1	4+1
Max. capacity weight	800 kg	1,000 kg	1,100 kg
Max. capacity persons	6	7	8
Engine shaft type	L	L	L
Max. engine	40 H.P. - 29.4 kW	60 H.P. - 44.1 kW	80 H.P. - 58.8 kW
Recommended engine	25 H.P. - 18.4 kW	40 H.P. - 29.4 kW	60 H.P. - 44.1 kW
Minimum engine	13.5 H.P. - 9.9 kW	25 H.P. - 18.4 kW	30 H.P. - 22.1 kW
Maximum engine weight	106 kg	112 kg	181 kg
Total boat weight (Exc. engine)	142 kg	163 kg	213 kg

Standard Features

Air pump
Bow cleat
Bow lifting eyes
Bow locker
Bow towing/mooring eye
Deck drain plug
Five-year tube material warranty
Inflation/deflation valves
Unsinkable foam-filled hull
Internal/external lifelines
Lifting handles
Non-slip deck texture
Paddles (two, telescopic)
Pressure relief valves

Repair kit
Rubbing strake
Stern lifting/towing eyes

Options

AKRON tube material
Boarding ladder
Boat cover
Bow roller
Color deck/tube/hull
Double jockey console seat S-5
Jockey S-3
Ice chest marine 25
Ice chest marine 48
Ice chest tie down
Navigation frame S-4

DR 520/570 Diving & Rescue Series



DR-570

For heavier loads and greater passenger capacity, consider the DR 520/570 series. Still remarkably portable and lightweight, these models feature wide beams for greater interior room, and enhanced lateral stability. Integral fuel tanks in the 520 and 570 provide increased range capability and free up deck space for passengers and gear. Storage is available in the large bow locker.

The hull's deep-V forward transitions to a keel pad aft. This combination affords a smooth ride while also promoting quick planing and lower fuel consumption.

These are the smallest models in the DR series which can be equipped with an optional center console and backrest seat for piloting from a standing position.

NOTABLE FEATURES

- Durable PVC fabric featuring a five-year warranty covering cracking, porosity and seams (**optional AKRON tube material features a 10-year warranty**)
- Versatile hull design for optimum seaworthiness and comfort under a variety of sea conditions
- Heavy duty standard features include double rubbing strakes, lifelines with stainless steel rings, and reinforcements with non-slip finish on tubes
- Standard tube colors: dark grey or orange tubes; other colors are available as options
- Integral fuel tank
- Can be equipped with an optional center console for operation while standing



DR-570



DR-520



HEAVY-DUTY AKRON TUBE MATERIAL OPTION
Designed specifically for Valiant professional series applications, AKRON features five-times the abrasion resistance of Neoprene/Hypalon and a **10-year tube material warranty.**



BOW LOCKER
Stow anchors, line and rode in this convenient bow locker.

OPTIONAL JOCKEY CONSOLE WITH BENCH STORAGE
Additional gear and important items can stow in this convenient location.

NAVIGATION FRAME S-5 OPTION
Mount electronics antennas and other equipment in this elevated station.

NON-SLIP DECK
The fiberglass deck surface features a non-slip pattern which reduces the risk of slipping on wet surfaces.

OPTIONAL TUBE COLOR SHOWN
Choose from an array of color options for the boat's tubes, deck and hull.

OPTIONAL DIVE LADDER S-5
This convenient boarding platform with telescoping ladder facilitates getting in and out of the boat.

DR-570

Standard features, specifications and options are subject to change. Some models are shown with options. See your local Valiant dealer for the most current product offering.

CHARACTERISTICS	DR-520	DR-570
CE Category	C	C
Length overall	5.18 m	5.65 m
Beam overall	2.16 m	2.40 m
Tube diameter	0.48 m	0.55 m
Number of chambers	4+1	5+1
Max. capacity weight	1,150 kg	1,450 kg
Max. capacity persons	9	15
Engine shaft type	L	L
Max. engine	100 H.P. - 73.5 kW	135 H.P. - 99.2 kW
Recommended engine	80 H.P. - 58.8 kW	100 H.P. - 73.5 kW
Minimum engine	40 H.P. - 29.4 kW	60 H.P. - 44.1 kW
Maximum engine weight	181 kg	195 kg
Total boat weight (Exc. engine)	262 kg	375 kg
Fuel tank	70 Lts	106 Lts

Standard Features

Air pump
Anchor locker
Bow cleat
Bow locker
Bow towing/mooring eye
Deck drain plug
Electric bilge pump (automatic)
Five-year tube material warranty
Hull drain plug
Inflation/deflation valves
Internal/external lifelines
Lifting handles
Mooring eye
Non-slip deck texture
Paddles (two, telescopic)
Pressure relief valves
Repair kit
Rubbing strake (double)
Stern lifting/towing eyes

Options

AKRON tube material
Backrest seat PT-7M
Backrest seat (folding) S-5
Backrest seat (folding) S-6
Single modular seat
Boarding ladder S-4
Dive ladder S-5
Boat cover
Bow lifting eyes
Bow roller
Color deck/tube/hull
Center console PT-5
Center console PT-6
Double jockey console seat S-5
Jockey console S-7/5
Jockey console S-7
Ice chest marine 25
Ice chest marine 48
Ice chest tie down
Navigation frame S-5

DR 620/750 Diving & Rescue Series



DR-750

The largest models of the DR Series, the DR 620 and 750 are understandably popular with professional divers. The modified hull design provides quick planing and a smooth ride even in rough conditions. It also affords room for a cavernous integral tank below deck, lowering the center of gravity for optimum stability and promoting usable deck space.

At 106 and 300 liters respectively, these boats have ample range and tremendous load carrying capacities.

These models can be configured in a variety of ways with your choice of options.

NOTABLE FEATURES

- Standard durable PVC fabric features a five-year warranty covering cracking, porosity and seams
- Optional heavy duty polyurethane AKRON tube material features five-times the abrasion resistance of Neoprene/Hypalon (single color tubes) and a 10-year warranty
- White hull, grey deck and tubes standard (color options available)
- Modified-V hull for quick planing, superior lateral stability and a smooth ride in rough water conditions
- Exceptional offshore performance
- Integral fuel tanks
- Customizable with many options— see a Valiant dealer



DR-750



DR-750

BOW CLEAT

This convenient standard feature facilitates anchoring and docking with a heavy-duty tube mounted bow cleat.



HEAVY-DUTY AKRON TUBE MATERIAL OPTION

Designed specifically for Valiant professional series applications, AKRON features five-times the abrasion resistance of Neoprene/Hypalon and a 10-year tube material warranty.



NON-SLIP DECK

The fiberglass deck surface features a non-slip pattern which reduces the risk of slipping on wet surfaces.

COLOR OPTIONS

Choose from an array of color options for the boat's tubes, deck and hull.

BOW LOCKER

Stow anchors, line and rode in this convenient bow locker.

TUBE REINFORCEMENTS

These heavy duty tube reinforcements feature a non-skid surface to promote more secure footing.

ALUMINUM DECK HATCH

The aluminum deck hatch (standard on the DR-750 and optional on the DR-620) provides access to the cavernous in-deck storage compartment.

Standard features, specifications and options are subject to change. Some models are shown with options. See your local Valiant dealer for the most current product offering.

DR-750

CHARACTERISTICS	DR-620	DR-750
CE Category	C	C
Length overall	6.15 m	7.49 m
Beam overall	2.50 m	2.85 m
Tube diameter	0.57 m	0.60 m
Number of chambers	5	7
Max. capacity weight	1,750 kg	2,300 kg
Max. capacity persons	17	22
Engine shaft type	1L	1XL - 2L
Max. engine	150 H.P. - 110 kW	300 H.P. - 221 kW
Recommended engine	115 H.P. - 84.5 kW	150 H.P. - 110 kW
Minimum engine	90 H.P. - 66.2 kW	115 H.P. - 84.5 kW
Maximum engine weight	231 kg	350 kg
Total boat weight (Exc. engine)	486 kg	773 kg
Fuel tank	106 Lts	300 Lts

Standard Features

Air pump
Automatic electric bilge pump
Bow cleat (on tube)
Bow locker
Deck drain plug
Double rubbing strake
External lifelines
Hull drain socket
Internal lifelines
Lifting handles
Mooring eye
Pressure relief valves
Stern locker
Stern towing eyes
Tube reinforcements
Telescopic paddles (2 each)
Tube Repair kit
Under deck fuel tank

Options

AKRON tube material
Aluminium deck hatch

(std. DR-750, N/A DR-620)
Backrest seat PT-7D or PT-7M
Backrest seat S-7
Double modular seat
Single modular seat
Boat cover
Bottle rack (4, 6, 8, 10 or 12 bottles)
Bow lifting eyes
Bow roller
Center console PT-5
Center console PT-6
Center console PT-7
Double jockey console S-7
Triple jockey console
Dive/Boarding ladder S-5
Dive/Boarding ladder S-7
Dive center diving ladder (includes navigation frame)
Tube mounted dive platform w/ladder
Ice chest cushion marine 72
Ice chest marine 72
Ice chest tie down kit
Navigation frame S-6/7

PATROL Series



PT-850

Originally designed for military applications, the **Patrol Series** addresses the needs of the most demanding users including rescue organizations, fire brigades and industrial activities which require the use of strong, durable, seaworthy, fast and safe craft. The design of the hull, with a deep-V from bow to stern and pronounced strakes, produces a smoother ride with superior tracking and dryness. This series offers exceptional performance offshore under rough sea conditions.

Patrol Series models feature integral fuel tanks in watertight compartment perfectly adapted to the "V" shape of the hull. This lowers the center of gravity and greatly increases range, particularly on our outboard models.

Patrol SD Series models are designed to provide even longer range and superior fuel economy. Featuring the largest hulls in the patrol series, these boats can be customized with a choice of power options including jet, gas or diesel stern drive engines. The motor box covering the inboard engine can be equipped with various options to maximize the use of cockpit space.

Each Patrol model can be customized according to the user's needs with a wide array of options. See your Valiant dealer for details.

NOTABLE FEATURES

- Heavy duty polyurethane AKRON fabric standard (features five-times the abrasion resistance of Neoprene/Hypalon)
- 10-year AKRON tube material warranty covering cracking, porosity and seams
- White hull, grey deck and tubes standard (color options available)
- Deep-V hull, bow to stern (23 degrees at transom)
- Exceptional offshore performance
- Strakes enhance tracking and deflect spray— for a drier ride
- Hatch to below decks storage (except PT-520)
- Patrol SD Series features a choice of gas, diesel stern drive or jet propulsion for extraordinary range and fuel economy
- Customizable with many options— see a Valiant dealer



PT-750



PT-SD 850

PT-750



HEAVY-DUTY AKRON TUBE MATERIAL STANDARD
Designed specifically for Valiant professional series applications, AKRON features five-times the abrasion resistance of Neoprene/Hypalon and a **10-year tube material warranty**.



MANY SEATING CONFIGURATIONS

Optional seating includes this double modular seat with drop out seat bases converting it to a standing bolster.

SELF-RIGHTING DEVICE OPTION

Although Valiant boats demonstrate remarkable stability, we offer this self-righting device for rescue professionals who must endure harsh conditions.

BOW SAMSON POST OPTION

Heavy-duty equipment for securing your vessel and/or equipment.



DEEP-V HULL

Standard on all Patrol series models, the hull features a deep-V shape from bow to stern to provide a smoother ride in rough conditions.

STERNDRIVE MOTOR BOX COVER

On the PT-SD models, many options are designed to mount to the motor box cover to optimize cockpit space.

PT-SD 850

CHARACTERISTICS	PATROL-520	PATROL-650	PATROL-750	PATROL-850	PATROL-SD 650	PATROL-SD 750	PATROL-SD 850
CE Category	C	B/C	B/C	B	B/C	B/C	B
Length overall	5.28 m	6.50 m	7.49 m	8.50 m	6.50 m	7.49 m	8.50 m
Beam overall	2.07 m	2.70 m	2.90 m	3.00 m	2.70 m	2.90 m	3.00 m
Tube diameter	0.50 m	0.56 m	0.56 m	0.56 m	0.56 m	0.56 m	0.56 m
Number of chambers	5	5	7	7	5	7	7
Max. capacity weight	1,729 kg	2,654 kg	3,176 kg	4,780 kg	2,654 kg	3,176 kg	4,780 kg
Max. capacity persons	9	19	22	26	19	22	26
Engine shaft type	1 L	1 XL - 2 L	1 XXL - 2 XL	1 XXL - 2 XL	Inboard/Outdrive	Inboard/Outdrive	Inboard/Outdrive
Max. engine	100 H.P. - 73.5 kW	150 H.P. - 110 kW	300 H.P. - 221 kW	500 H.P. - 367 kW	250 H.P. - 183 kW	300 H.P. - 221 kW	500 H.P. - 366 kW
Recommended engine	80 H.P. - 58.8 kW	115 H.P. - 84.5 kW	200 H.P. - 147 kW	300 H.P. - 221 kW	115 H.P. - 84.5 kW	200 H.P. - 147 kW	250 H.P. - 183 kW
Minimum engine	40 H.P. - 29.4 kW	100 H.P. - 73.5 kW	150 H.P. - 110 kW	200 H.P. - 147 kW	90 H.P. - 66.2 kW	150 H.P. - 110 kW	150 H.P. - 110 kW
Maximum engine weight	181 kg	239 kg	600 kg	705 kg	500 kg	600 kg	600 kg
Total boat weight (Exc. engine)	300 kg	610 kg	965 kg	1,160 kg	610 kg	965 kg	1,160 kg
Fuel tank	70 Lts	545 Lts	545 Lts	545 Lts	300 Lts	545 Lts	545 Lts

ACCESSORIES

CONSOLE STEERING SYSTEM INCLUDED



CENTRE CONSOLE S-3



CENTRE CONSOLE S-4



CENTRE CONSOLE S-5



CENTRE CONSOLE S-6



CENTRE CONSOLE S-7



CENTRE CONSOLE PT-5



CENTRE CONSOLE PT-6



CENTRE CONSOLE PT-7



CENTRE CONSOLE PT-7



JOCKEY CONSOLE S-3



DOUBLE JOCKEY CONSOLE S-5

SEATS



BACKREST SEAT S-3



BACKREST SEAT S-4



FOLDING BACKREST SEAT S-5



FOLDING BACKREST SEAT S-6



BACKREST SEAT PT-7D



BACKREST SEAT PT-7 M



FOLDING BACKREST SEAT S-7D



SINGLE MODULAR SEAT



DOUBLE MODULAR SEAT

Fiberglass consoles & seats can be made in the same color as the boat, for a slight upcharge.

FEATURE	DYNAMIC					VANGUARD										DIVING & RESCUE							
	D-240	D-270	D-300	D-340	D-380	V-400	V-450	V-490	V-520 LTD	V-520	V-570	V-620 T	V-750 T	V-620 CR	V-750 CR	DR-400	DR-450	DR-490	DR-520	DR-570	DR-620	DR-750	
CONSOLES																							
Centre Console S-3			O	O	O																		
Centre Console S-4						S	S	S								O	O	O					
Centre Console S-5									S	S									O				
Centre Console S-6											S	S		S						O	O		
Centre Console S-7													S		S							O	
Centre Console PT-5																			O	O	O	O	
Centre Console PT-6																					O	O	
Centre Console PT-7																						O	
Jockey Console S-3			O	O	O											O	O	O					
Double Jockey Console S-5																O	O	O	O	O			
Double Jockey Console S-7																					O	O	
Triple Jockey Console																					O	O	
Hydraulic Steering System										S	S	S	S	S	S				O	O	O	O	
SEATS																							
Backrest seat S-3			O	O	O																		
Backrest seat S-4						S	S									O	O						
Backrest seat PT-7D																					O	O	
Backrest seat PT-7M																			O	O	O	O	
Folding Backrest Seat S-5								S	S	S								O	O				
Folding Backrest Seat S-6											S									O			
Folding Backrest seat S-7D													S		S							O	
Double Modular Seat																			O	O	O	O	
Single Modular Seat																			O	O	O	O	
VARIOUS																							
Aluminium Hatch															S						S	S	
Boarding Ladder S-4						O	O	O								O	O	O	O	O			
Boarding Ladder S-5									O	S	S	O		S					O	O			
Boarding Ladder S-7													O		S								
Boarding Platform									O	S	S	O	O	S	S								
Bimini Sunshade									O	O	O	O	O	O	O				O	O	O	O	
Bow Roller Black																O	O	O	O	O	O	O	
Bow Roller Grey									O	O	O												
Bow Samson Post																					O	O	
Deck Shower Kit												O	O	S	S								
Dive Bottle Rack (4-12, based on boat size)																O	O	O	O	O	O	O	
Dive Centre Diving Ladder																					O	O	
PVC Keel Protection	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	
Frame with Self-Righting System																					O	O	
Navigation Frame (part based on model)						O	O	O	O	O	O	O	O	S	S	O	O	O	O	O	O	O	
Retractable Bow Roller												O	O	S	S								
Ski Mast												O	O	S	S								

S- Standard O-Option

VALIANT



VALIANT RIGID INFLATABLE BOATS

Valiant Boats - Apartado 38 - Vila Nova de Cerveira, 4924-909 - Portugal
351.251.708.060 office • 351.251.708.069 fax • www.valiant-boats.com

Valiant is owned by Brunswick Corporation, the world's largest provider of boats and marine engines.
Here are just a few of the other brands in the Brunswick Marine in EMEA, Inc. family:

BRAYLINER

WHALES



MARINER

MAXUM

MERCURY

QUICKHULL

SEALINE

Sea Ray

VELOCITY

Remember - Life vests float. You don't. Always wear a life vest while on board.



BRUNSWICK MARINE in EMEA
ISO 9001 - 2000 CERTIFIED

The quality system of
Brunswick Marine in EMEA
is ISO 9001:2000 certified



 **BRUNSWICK**
Marine in EMEA

© 2007 Brunswick Marine in EMEA. All Rights Reserved.

Brunswick Marine in EMEA continuously explores means to improve the products it designs, manufactures and distributes. Every effort is made to produce sales and service literature which is current. Changes to specifications of engines, boats and accessories are ongoing. This brochure should not be regarded as a precise guide to the latest specifications. This brochure is also not an offer for sales of any particular engine, boat or accessory. Distributors and dealers are not agents of Brunswick Marine in EMEA or one of its affiliates and they have no authority to bind Brunswick Marine in EMEA by any express undertaking or representation, including but not limited to representations of product, sales, applications or service nature. Not all products are available in all countries. Some products shown in this catalogue are equipped with optional accessories. Please see your local dealer. The technical characteristics described in this brochure are based on the application of the ISO 6185 standard and could conflict with different national regulations. We advise you to consult the official norms of each country. Due to the special condition of being foldable and collapsible, the weights and sizes of craft mentioned in this brochure are always approximate and can vary slightly. The company reserves the right to change the specifications of accessories and craft without previous notice. Some of the action photographs published in this catalogue may show a selection of accessories and equipment not included in the basic option or differ from the selection of accessories offered by Valiant.

visit <http://www.BrunswickMarineEMEA.com>