





280 AS Deluxe



250 AS Deluxe



230 AS

DISCOVER ARVOR, FIRST IN THE WATER AND LAST OUT OF THE WATER

The Arvor family includes the 190, 215, 215 AS, 230 AS, 230 AS Deluxe, 250 AS Deluxe and Arvor 280 AS Deluxe – all multi-purpose boats ideally suited to the needs of fishing and fishermen.

At Arvor, standing still is not an option so we are constantly developing our boats to enhance the pleasure of ownership.

These quality boats are all equipped to the highest level to make even the most demanding fisherman happy.

Standard equipment includes rod holders, aquarium-style livewell with electric pump, hydraulic steering, an electric windlass with swinging bow roller and a trolling valve on the majority of the boats.



215 AS



215



190

Practicality and safety are catered for with stainless steel keel protectors and propeller/rudder shields. Further, a stainless steel bar which connects the bottom of the propeller protection shoe to the bottom of the rudder prevents snagging by ropes or nets. The propeller protection tube itself is fully embedded into the skag to enhance leak resistance and provide greater strength than the commonly used and cheaper bonding system.

The five assymetric models (215 AS, 230 AS, 230 AS Deluxe, 250 AS Deluxe & 280 AS Deluxe) are equipped with an offset cabin for easy forward access. Original and particularly attractive is the AS family with a burgundy hull!

The Deluxe versions are notable for their especially attractive cabin trim with vinyl lining which even extends to the toilet. Tropical woods are used for inside door finishes and on additional inserts within the cabin. An attractive and practical artificial teak laminate covers the cabin and wheelhouse floor.

TABLE OF CONTENT

280 AS Deluxe	4-5
250 AS Deluxe	6-7
230 AS & AS Deluxe	8-9
215 AS	10-11
215	12-13
190	14
Engine details	15
Equipment	16

THE ULTIMATE IN LUXURY AND PRACTICALITY

Designed for fishermen who demand and expect the very best, the 280 AS Deluxe draws on Arvor's extensive experience in designing practical yet luxurious and user-friendly boats. Ease of use is assured thanks to standard fit hydraulic steering, bow thruster, trim tabs and dual electric wipers.

Practicality is enhanced by three electric bilge pumps and a trolling valve, an electric windlass and a revised, longer swinging bow roller.



The helm is well equipped with full engine instrumentation and an electric switch panel with circuit breakers. The pilothouse is very accessible thanks to its sliding door at portside. Four-berth accommodation provides ample overnight space. Additional facilities include a baggage and a toilet compartment. The galley features a sink and tap together with a cooker and a storage container. The cabin is finished with tropical wood inserts and vinyl linings.

For the fisherman, the Arvor 280 AS Deluxe incorporates a very roomy cockpit with an aquarium-style livewell with pump and a fish locker while three wooden foldable cockpit benches are provided for moments of relaxation. An artificial teak laminate covers the floor in the cabin and pilothouse.

NEW - Option : refrigerator (40 L).



ARVOR 280 AS Deluxe



SPECIFICATIONS

Overall length with platform	9,50 m
Length of hull	8,48 m
Max. beam	2,99 m
Draft	0,95 m
Height	3,70 m
Bridge clearance	2,75 m
Weight of the boat (including engine)	3.700 kg
Fuel tank	390 L
Water tank	137 L
Number of persons	9
CE Category	B
Engine	Cummins MerCruiser Diesel 4.2L 320 HP

More detailed information & equipment, see pages 15 & 16.

ENJOY YOUR FISHING IN SPACE, COMFORT AND STYLE

A standard bow thruster makes manoeuvring in port easier than ever while standard trim tabs simplify adjustment of your boat under different loads and sea conditions.

Additional standard equipment includes a trolling valve and an electric windlass.

A sink, cooker and table allow you to cook and eat your catch right on board. The head is neatly hidden below the steering position.


The big, open deck, with fold-down wooden benches, provides plenty of space to move around. The transom features an original livewell with an electric pump for seawater circulation and an aquarium-style window placed at waist height.

Further aft, the standard stern platform facilitates easy access and includes an auxiliary outboard engine bracket.

The 250 AS Deluxe features vinyl cabin trim, tropical wood inserts & inside door finishes as well as artificial teak laminate on the cabin and wheelhouse floor.



ARVOR 250 AS Deluxe



SPECIFICATIONS

Overall length with platform	8,30 m
Length of hull	7,49 m
Max. beam	2,93 m
Draft	0,88 m
Height	3,40 m
Bridge clearance	2,52 m
Weight of the boat (including engine)	2.775 kg
Fuel tank	300 L
Water tank	80 L
Number of persons	8
CE Category	B
Engine	Cummins MerCruiser Diesel 2.8L 230 HP

More detailed information & equipment, see pages 15 & 16.

ENJOY MORE TIME ON THE WATER AND MORE FISH IN THE LIVEWELL

The Arvor 230 AS is a smaller sister to the popular 250 AS Deluxe and offers a spacious cabin, a V-berth and a standard-fit chemical toilet.

It has a galley to port and a dining table in the cabin so you can cook and eat the catch of the day as soon as it comes on board!


Standard trim tabs make it easy to adjust your ship for different loads and sea conditions.

For enhanced comfort at sea, equipment includes a bow thruster, a trolling valve and an electric windlass.

A livewell is set at waist height at the stern with an aquarium-style window for the entertainment of passengers. Rod holders, stainless steel net rollers, wooden gunwale inserts and fold-down wooden benches are all standard.

Also available in Deluxe version with vinyl cabin trim, tropical wood inserts & inside door finishes as well as artificial teak laminate on the cabin and wheelhouse floor (see pictures).





SPECIFICATIONS

Overall length with platform	7,30 m
Length of hull	6,70 m
Max. beam	2,78 m
Draft	0,86 m
Height	3,03 m
Bridge clearance	2,17 m
Weight of the boat (including engine)	1.980 kg
Fuel tank	135 L
Number of persons	6
CE Category	C
Engine	Cummins MerCruiser Diesel 2.0L 150 HP

More detailed information & equipment, see pages 15 & 16.

ON-BOARD COMFORT FOR BETTER OFFSHORE SPORT

The Arvor 215 AS maintains spaciousness below decks while ensuring a generous passage forward thanks to its offset cabin, which also includes a chemical toilet. An aquarium-style livewell is standard.



Heat up a quick cup of tea or soup on the standard cooker.

Multiple storage compartments keep your gear organised.

Hydraulic steering makes driving and manoeuvring a true pleasure.

Additional standard equipment also includes a trolling valve and an electric windlass.





SPECIFICATIONS

Overall length with platform	6,88 m
Length of hull	6,36 m
Max. beam	2,54 m
Draft	0,75 m
Height	2,90 m
Bridge clearance	2,15 m
Weight of the boat (including engine)	1.650 kg
Fuel tank	90 L
Number of persons	6
CE Category	C
Engine	Cummins MerCruiser Diesel 2.0L 115 HP

More detailed information & equipment, see pages 15 & 16.

ALL WEATHER FUN, SPORT AND COMFORT

The Arvor 215 has a large cockpit with standard wooden benches, an aquarium-style livewell, rod holders and convenient handrails and bow rails that provide secure passage forward.



A sliding door gives easy access to the cabin with 2 berths. Plenty of lockers and storage compartments keep the place tidy and belongings dry.

The hatch on the roof and the wide windscreen provide lots of light and a panoramic view.

Fishing comfort is guaranteed with a standard trolling valve and an electric windlass.

Other standard equipment includes a boarding ladder, bathing platform, electric bilge pump and electric windscreen wipers.





SPECIFICATIONS

Overall length with platform	6,88 m
Length of hull	6,33 m
Max. beam	2,54 m
Draft	0,75 m
Height	2,90 m
Bridge clearance	2,15 m
Weight of the boat (including engine)	1.600 kg
Fuel tank	90 L
Number of persons	6
CE Category	C
Engine	Cummins MerCruiser Diesel 2.0L 115 HP

More detailed information & equipment, see pages 15 & 16.



GREAT SPORT STARTS WITH A GREAT BOAT

All the comfort at sea is offered with the hydraulic steering and the standard electric windlass.

The berth in the spacious cabin can accommodate 2 persons while the opening window provides fresh air to the skipper.

This favourite includes an electric windscreen wiper, standard wooden benches, rod holders & a small cutting board, stern platform with auxiliary engine bracket, an aquarium-style livewell and a swim-ladder.

The 190 features a transom door for easy access to the stern.



SPECIFICATIONS

Overall length with platform	6,30 m
Length of hull	5,74 m
Max. beam	2,54 m
Draft	0,74 m
Height	2,90 m
Bridge clearance	2,16 m
Weight of the boat (including engine)	1.470 kg
Fuel tank	90 L
Number of persons	6
CE Category	C
Engine	Volkswagen Diesel 1.9L 75 HP

More detailed information & equipment, see pages 15 & 16.

VOLKSWAGEN (VW)



VW 1.9L 75 HP - ARVOR 190

POWER TO FISHING PEOPLE

This new turbocharged variant of Volkswagen's 1,9 litre four cylinder marine diesel is based on the most built diesel engine design ever made. It is assembled to the same standards as the 1020 hp Bugatti engines. For each engine, full electronic assembly records are kept for 10 years. You also get advanced automotive technology combined with safety and comfort: on-board computer informs about current fuel consumption with ultimate precision, the electric oil change is a clean 10 minute job, the valve clearance adjustment and the drive belt tensioning, for example, are fully automatic!

Continuous fuel analysis is a standard feature. In case water is detected in the incoming diesel fuel, a warning sounds and illuminates while there is still time to act.

Its origin from quality automotive applications ensures very silent operation and low vibration levels, getting your boat on the plane with ease.

CUMMINS MERCUISER DIESEL (CMD)

Cummins MerCruiser Diesel is focused on bringing a greater level of enjoyment, efficiency and reliability to the recreational boater. From a day cruise with your family to a season-long excursion to sportfishing in the islands, CMD engines are built for maximum strength, performance and safety.

The advantages of CMD engines are: outstanding fuel economy and range, higher torque for greater power, durability for longer engine life, instant start-up in cold weather, virtually smoke and odor free, lighter weight/increased power, simplified engine information management and EPA Tier 2, IMO, RCD and select BSO/SAV ratings certified.



CMD 2.0L 115 HP - ARVOR 215 & 215 AS

CMD 2.0L 150 HP - ARVOR 230 AS & AS DELUXE

COMPACT & POWERFUL

Combining the quiet, smooth performance of a traditional gasoline engine with the added fuel economy, torque and durability of a diesel, this four cylinder compact powerhouse features an advanced ECM with SmartCraft™ compatibility to monitor various engine parameters. The QSD2.0 also features advanced components like the integrated heat exchanger and exhaust manifold, which help reduce overall package size. Impressive acceleration and precise throttle response are the result of a 16 valve cylinder head and a proven common rail fuel system that includes a turbocharger and seawater aftercooler.



CMD 2.8L 230 HP - ARVOR 250 AS DELUXE

COMPACT & DURABLE

Don't be fooled by its compact design. The QSD2.8 is built to last. With a gear driven camshaft and patented tunnel design crankcase with wet liners, this diesel is extremely durable. Hydraulic lifters and counterbalancing shafts reduce noise and vibration; while a proven common rail fuel system significantly reduces emissions. Precise throttle response is aided by a turbocharger and a seawater aftercooler, while an advanced ECM with SmartCraft™ compatibility provides system monitoring and control never before seen in a diesel engine this size.



CMD 4.2L 320 HP - ARVOR 280 AS DELUXE

DURABLE & POWERFUL


With a gear driven camshaft and patented tunnel design crankcase with wet liners, this 6 cylinders in-line diesel is extremely durable. Impressive acceleration and precise throttle response are the result of a proven common rail fuel system that includes a turbocharger and seawater aftercooler. An advanced ECM with SmartCraft™ compatibility provides system monitoring and control.

Sources : Volkswagen Marine & Cummins MerCruiser Diesel

EQUIPMENT	280 AS Deluxe	250 AS Deluxe	230 & 230 AS Deluxe	215 AS	215	190
Smartcraft™ gauge with LCD screen including tachometer, engine oil pressure, engine coolant temperature, voltmeter, audible and visual warnings, instantaneous fuel rate, fuel level and hourmeter	v	v	v	v	v	
Tachometer with LCD screen including engine oil pressure warning and digital display for engine coolant temperature, voltage, engine hours and instantaneous fuel rate, plus audible and visual warning functions						v
Fuel level gauge	v	v	v	v	v	v
Engine oil pressure gauge	v	v				
Engine coolant temperature gauge	v	v				
Voltmeter gauge	v	v				
Bow thruster	v	v	v			
Hydraulic steering	v	v	v	v	v	v
Hydraulic trim flaps	v	v	v			
Electric windlass	v	v	v	v	v	v
Trolling valve controlled from the helm	v	v	v	v	v	
Stainless steel keel protection	v	v	v	v	v	v
Emergency tiller, boat hook storage rack	v	v	v	v	v	v
Electric bilge pumps	v	v	v	v	v	v
Easy access to engine via hatch	v	v	v	v	v	v
Aquarium-style livewell with electric pump	v	v	v	v	v	v
Electric windscreen wiper	v	v	v	v	v	v
Compass	v	v	v	v	v	v
Anchor locker	v	v	v	v	v	v
Small cutting board	v	v	v	v	v	v
Fish locker	v					
Shore power /220V/ with battery charger	v					
Navigation and mooring lights	v	v	v	v	v	v
Mooring cleats	v	v	v	v	v	v
Bow eye	v	v	v	v	v	v
Rod holders & gunwale rollers	v	v	v	v	v	v
Cockpit lockers	v	v	v	v	v	v
Stainless steel pulpit	v	v	v	v	v	v
Cockpit benches	v	v	v	v	v	v
Stainless steel handrails on top and back of cabin	v	v	v	v	v	v
Berths	4	2	2	2	2	2
Cabin cushions	v	v	v	v	v	v
Opening deck hatches/cabin wall portlights	v	v	v	v	v	v
Opening port on window	v	v	v	v	v	v
Hatch on pilothouse roof	v	v	v	v	v	v
Stern platform	v	v	v	v	v	v
Stainless steel boarding ladder	v	v	v	v	v	v
Transom door	v	v	v	v	v	v
Outboard engine bracket	v	v	v	v	v	v
Galley: fresh water, cooker, storage	v	v	v			
Galley sink & tap	v	v	v			
One burner cooker				v		
NEW-Refrigerator (40 L)	*					
Table	v	v	v			
Separate head compartment with sink, tap & marine toilet	v					
Separate head compartment with chemical WC		v				
Chemical WC			v	v		
Interior light	v	v	v	v	v	v

* Option

 Some pictures show optional equipment - check with your dealer for full details.



© 2008 Brunswick Marine in EMEA. All Rights Reserved.

Brunswick Marine in EMEA continuously explores means to improve the products it designs, manufactures and distributes. Every effort is made to produce sales and service literature which is current. Changes to specifications of engines, boats and accessories are ongoing. This brochure should not be regarded as a precise guide to the latest specifications. This brochure is also not an offer for sales of any particular engine, boat or accessory. Distributors and dealers are not agents of Brunswick Marine in EMEA or one of its affiliates and they have no authority to bind Brunswick Marine in EMEA by any express undertaking or representation, including but not limited to representations of product, sales, applications or service nature. Not all products are available in all countries and some are available only in limited quantities. Some products shown in this catalogue are equipped with optional accessories. Please see your local dealer.

Visit <http://www.BrunswickMarineEMEA.com>

Arvor boats are designed under the direction of Brunswick Marine in EMEA by Jacek Centkowski, Naval Architect.



www.BrunswickMarineEMEA.com