



FANCY FISHING, WATER SPORTS, CRUISING WITH FRIENDS OR FAMILY? WHATEVER YOUR INTEREST, THERE IS A QUICKSILVER BOAT TO FILL YOUR NEEDS.

## QUICKSILVER, A COMPLETE RANGE!

24 models in 5 product families, each meeting specific needs.

Looking for a thrill, fishing, beginner or amateur searching for new horizons. All our boats offer a remarkable adaptability to every need. Each model represents exceptional value for a long lasting investment.

Commander: Open deck emphasizing accessibility and space. Ideally suited to good fishing and water sports. Feel the sensation of

open! Walkaround (WA) models offer a spacious cabin and berths for cruising comfort.

Cruiser: More space is dedicated to the cabin offering comfort and shelter from the elements.

Weekend: Made for cruising. Easy accessibility and all around comfort are the key words.

Pilothouse: Optimized for fishing with all the necessary equipment to satisfy the avid angler.

Fish: Enjoy simple boating pleasures. Independence, freedom and pride: everything you need from your boat.

Do you want quality spare parts to optimize your boat?

No need to look elsewhere: Quicksilver is here.

Purpose-designed parts, engine care products, propellers, anodes: you name it; there is an original part or accessory which will extend your engine durability while improving on-board safety and environmental protection.

Original and authentic parts will quarantee a long life for your investment.

- Extensive basic equipment list such as swim

   Safety and comfort is our main concern. ladder, fishing rod holders, storage locker, bow roller, anchor locker & hydraulic steering on most models.
- Reliable: a 3-year structural hull warranty.





### CONTENT

COMMANDER	
635WA	.6-7 .8-9 .10-11 .12-13
610 640-510 170-430	.18-19
700 640 635	.24-25
PILOTHOUSE 640-580630-500	
500-440 110-360	
Engine details Specifications & equipment	





## 6 3 5 COMMANDER WA

Vast cockpit with cushions, picnic table, co-pilot seat and large sundeck. Bright cabin with V-berths for 2 persons, Comfort:

mirror and chemical WC.

Perfect for water sports with the included ski pole. Plenty of storage, opening deck hatch, swim ladder and fishing rod holders. Life on board:

Bow roller and well-placed anchor locker.


Powerful, safe and economic. Hydraulic steering is standard for smooth, fast yet safe driving. Available with Verado® pre-rigging. Performance:

Security: Navigation lights and bilge pump standard.

Technology: Speedometer, tachometer, fuel gauge and trim gauge. Fuel tank (135 L).













SPECIFICATIONS	035 WA
LENGTH OF HULL (M)	6,25
MAX. BEAM (M)	2,55
DRAFT (M)	0,40
BRIDGE CLEARANCE (M)	1,85
(v.)	2.25

NUMBER OF PEOPLE 200 MAXIMUM POWER (HP)







• Comfort: Cockpit with cushions, picnic table, co-pilot seat and large sunpad for relaxing. Bright cosy cabin with V-berths for 2 persons including mirror and chemical WC.

• Life on board: Ski pole, opening deck hatch, swim ladder, ample storage and fishing rod holders. Bow roller and anchor locker.


• Performance: Powerful, secure and economic. Hydraulic steering is standard for smooth, fast yet safe driving.

• Security: Navigation lights and bilge pump standard.

• Technology: Speedometer, tachometer, fuel gauge and trim gauge. Fuel tank (90 L).











SPECIFICATIONS 555 WA
LENGTH OF HULL (M) 5,35

 MAX. BEAM (M)
 2,29

 DRAFT (M)
 0,39

 BRIDGE CLEARANCE (M)
 1,67

 HEIGHT (M)
 2,06

 NUMBER OF PEOPLE
 5

 MAXIMUM POWER (HP)
 115





**Style:** Centre console and sporty good looks, featuring foredeck seating.

• Comfort: Spacious cockpit with cushions, co-pilot seat, picnic table and large sundeck. Cabin with chemical WC.

Derfect for water sports with the included ski pole, swim ladder, ample storage and fishing rod holders.


Bow roller and anchor locker.

Performance: Powerful, secure and economic. Hydraulic steering is standard for smooth, fast yet safe driving. Available with Verado® pre-rigging.

Security: Navigation lights and bilge pump standard.

• Technology: Speedometer, tachometer, fuel gauge and trim gauge. Fuel tank (135 L).







 LENGTH OF HULL (M)
 6,25

 MAX. BEAM (M)
 2,55

 DRAFT (M)
 0,40

 BRIDGE CLEARANCE (M)
 1,75

 HEIGHT (M)
 2,15

 NUMBER OF PEOPLE
 7/6

 MAXIMUM POWER (HP)
 175/200















• Style: Outstandingly good looks with teak laminate cockpit floor.

• Comfort: Large cockpit with cushions, front sunpad and picnic table. Cabin with berth.

Life on board: Side-console with easy access to the bow. Ideal for water sports with the included ski pole, swim ladder, ample storage and


fishing rod holders. Bow roller and anchor locker.

Performance: Hydraulic steering is standard for smooth, fast yet safe driving. Available with Verado® pre-rigging.

Security: Navigation lights and bilge pump standard.

• Technology: Speedometer, tachometer, fuel gauge and trim gauge. Fuel tank (135 L).











SPECIFICATIONS	600
LENGTH OF HULL (M)	5,99
MAX. BEAM (M)	2,48
DRAFT (M)	0,35
BRIDGE CLEARANCE (M)	1,59
HEIGHT (M)	1,94
NUMBER OF PEOPLE	6
MAXIMUM POWER (HP)	175





• Comfort: Deck with co-pilot seat and cushions, picnic

table, large sunpad for relaxing. Cabin with

chemical WC.

Dife on board: Ski pole, swim ladder, ample storage and fishing

rod holders. Bow roller and anchor locker.

Performance: Powerful, secure and economic. Hydraulic

steering is standard for smooth, fast yet safe

driving.

Security: Navigation lights and bilge pump standard.

• Technology: Speedometer, tachometer, fuel gauge and trim

qauqe. Fuel tank (90 L).

O Comfort:

Centre console for better on-board circulation, cockpit with cushions and co-pilot seat, picnic table, front sunpad and cabin.

Life on board:

Swim ladder, ample storage, fishing rod holders and ski locker. Bow roller and anchor locker.


Security:

Navigation lights and bilge pump standard.

• Technology:

Speedometer and tachometer. Fuel tank (50 L).

# 555 - 525 COMMANDER













SPECIFICATIONS	555	525
LENGTH OF HULL (M)	5,35	5,09
MAX. BEAM (M)	2,29	2,29
DRAFT (M)	0,38	0,37
BRIDGE CLEARANCE (M)	1,68	1,53
HEIGHT (M)	2,06	1,90
NUMBER OF PEOPLE	6	6
MAXIMUM POWER (HP)	115	90

FULL SPECIFICATIONS AND EQUIPMENT ON PAGES 38 AND 3

- 13





• Comfort: Cockpit with cushions, full-size sunpad

and picnic table.

• Life on board: Ski hook, swim ladder, ample storage, fishing

rod holders and ski locker. Bow roller and well-

placed anchor locker.

Performance: Hydraulic steering is standard for smooth, fast

yet safe driving.

Security: Navigation lights and bilge pump standard.

Technology: Speedometer, tachometer, fuel gauge and trim

gauge. Fuel tank (50 L).

O Comfort:

Cockpit with cushions, front sunpad and picnic table for relaxing.

D Life on board:

Ski hook, swim ladder, ample storage, fishing rod holders and ski locker. Bow roller and well-placed anchor locker.


Security:

Navigation lights and bilge pump standard.

O Technologie:

Fuel tank (50 L).

# 505 - 500 COMMANDER














SPECIFICATIONS	505	500
LENGTH OF HULL (M)	5,00	4,97
MAX. BEAM (M)	2,30	2,14
DRAFT (M)	0,35	0,35
BRIDGE CLEARANCE (M)	1,42	1,30
HEIGHT (M)	1,77	1,65
NUMBER OF PEOPLE	5	5
MAXIMUM POWER (HP)	90	60

FULL SPECIFICATIONS AND EQUIPMENT ON PAGES 38 AND 3

500


15





## -

### 610



CRUISER

## 6 I O CRUISER

• Comfort: Ideal for water sports and cruising. Ski hook, back bench seat convertible into a large sunpad and co-pilot seat. Roomy cabin

with V-berth for 2 persons.

**Life on board:** Swim ladder, numerous storage places with storage lockers and side storage compartment. Bow roller and well-placed anchor locker.

• Performance: Hydraulic steering is standard for smooth, fast yet safe driving.

• Security: Navigation lights and bilge pump standard.

• Technology: Speedometer, tachometer, fuel gauge and trim gauge. Fuel tank (135 L).

• Engine: Mercury MerCruiser 3.0L 135 HP (more information, p.37).









LENGTH OF HULL (M)	5,9
MAX. BEAM (M)	2,5
DRAFT (M)	0,3
BRIDGE CLEARANCE (M)	1,€
HEIGHT (M)	2,0
NUMBER OF PEOPLE	6

SPECIFICATIONS

MAXIMUM POWER (HP)

FULL SPECIFICATIONS AND EQUIPMENT ON PAGES 38 AND 39

135





## 5 4 0 CRUISER

© Comfort: Roomy cockpit with cushions, co-pilot seat, sunpad and picnic table. Bright cabin with V-berth for 2 persons including mirror and chemical WC.

**Life on board:** Ski pole, swim ladder, ample storage and fishing rod holders. Opening deck hatch. Bow roller and

well-placed anchor locker.

Performance: Hydraulic steering is standard for smooth, fast

yet safe driving.

Security: Navigation lights and bilge pump standard.

Technology: Speedometer, tachometer, fuel gauge and trim

qauqe. Fuel tank (90 L).


## 5 I O CRUISER

© Comfort: Roomy cockpit to relax and entertain. Bright cabin with V-berth for 2 persons including mirror.

1111111


• Life on board: Grab handle for easy access to the boat after

swimming and swim ladder. Ample storage and fishing rod holders. Bow roller and well-



540

510











SPECIFICATIONS	540	510
LENGTH OF HULL (M)	5,33	4,98
MAX. BEAM (M)	2,47	2,33
DRAFT (M)	0,42	0,34
BRIDGE CLEARANCE (M)	1,58	1,52
HEIGHT (M)	2,00	1,86
NUMBER OF PEOPLE	6	5
MAXIMUM POWER (HP)	135	90

FULL SPECIFICATIONS AND EQUIPMENT ON PAGES 38 AND

- 19





4 7 0 CRUISER

• Comfort: Roomy cockpit with cushions. Cabin with V-berth for 2 persons including mirror.

**O** Life on board: Storage lockers and side storage

compartment. Bow roller and well-placed anchor locker. Grab handle for easy access to the boat after swimming and swim ladder.

• Security: Navigation lights and bilge pump standard.

## 4 3 0 CRUISER


• Comfort: Cockpit and cabin with V-berth for 2 persons.

• Life on board: Swim ladder, storage places with storage

lockers and side storage compartment. Bow roller and well-placed anchor locker.

Security: Bilge pump.

## 470 - 430 CRUISER











SPECIFICATIONS	470	430
LENGTH OF HULL (M)	4,67	4,24
MAX. BEAM (M)	2,37	2,11
DRAFT (M)	0,30	0,30
BRIDGE CLEARANCE (M)	1,45	1,30
HEIGHT (M)	1,75	1,60
NUMBER OF PEOPLE	5	4
MAXIMUM POWER (HP)	50	50

FULL SPECIFICATIONS AND EQUIPMENT ON PAGES 38 AND 39

2





## 7 O O WEEKEND

Style: Cruising comfort with amazing boarding capacity. Teak laminated cockpit floor.

• Comfort: Cockpit with cushions, picnic table, sunpad and deck shower. Roomy and bright cabin with dining table and two double berths,

including mirror and separate chemical WC with sink. Pressurised water system with water tank (100 L).

• Life on board: Galley with sink & tap, fresh water, cooker and fridge [40 L]. Numerous storage places with storage lockers, side storage

compartment, fishing rod holders and swim ladder. Bow roller and anchor locker. Opening deck hatch.

Performance: Standard hydraulic steering, trim flaps, bow thruster and electric windlass.


Security: Navigation lights, windscreen wiper and bilge pump standard.

Technology: Speedometer, tachometer and fuel gauge. Fuel tank (135 L).

• Engine: Cummins MerCruiser Diesel 2.0L 150 HP (more information, p.37).







SPECIFICATIONS

LENGTH OF HULL (M) 6,96
MAX. BEAM (M) 2,78

700

 DRAFT (M)
 0,85

 BRIDGE CLEARANCE (M)
 2,20

 DRAFT (M)
 3,05

 HEIGHT (M)
 3,05

 NUMBER OF PEOPLE
 7

 MAXIMUM POWER (HP)
 150





• Comfort: Bright and spacious cabin with convertible dining table, double berths and chemical WC. Picnic table and cushions

in the cockpit, adjustable pilot seat, deck shower. Pressurised water system with water tank (50 L).

Life on board: Galley with sink 6 tap, fresh water and cooker. Ample storage and fishing rod holders. Bow roller, anchor locker. Opening deck

hatch and swim ladder.

• Performance: Standard hydraulic steering.

Security: Navigation lights, windscreen wiper and bilge pump standard.

Technology: Speedometer, tachometer, fuel gauge and trim gauge. Fuel tank (135 L).

Engine: Outboard: agile and easy to maintain.

Sterndrive: Diesel economy and spacious swimplatform. Cummins MerCruiser Diesel 2.0L 130 HP (more information, p.37).

• Optional: Separate head (toilet) compartment with chemical WC.










6 4 0 **WEEKEND** 

640 OB





640 SD

# SPECIFICATIONS 6400B 640SD

LENGTH OF HULL (M)	6,48	6,48
MAX. BEAM (M)	2,54	2,54
DRAFT (M)	0,49	0,45
BRIDGE CLEARANCE (M)	2,14	2,18
HEIGHT (M)	2,63	2,63
NUMBER OF PEOPLE	6	6
MAXIMUM POWER (HP)	135	135





Style: Timeless design for enjoyable and affordable cruising.

Comfortable and bright cabin with convertible table, double berths and separate head compartment with chemical WC. Comfort:

Picnic table in the cockpit with cushions. Pressurised water system with water tank (65 L).

Galley with sink & tap, fresh water and cooker. Ample storage including lockers and side storage compartment. Life on board:

Bow roller and anchor locker. Swim ladder and opening deck hatch.

Performance: Standard hydraulic steering.

Navigation lights, windscreen wiper and bilge pump standard. Security:

Technology:









SPECIFICATIONS	635
LENGTH OF HULL (M)	6,45
MAX. BEAM (M)	2,53
DRAFT (M)	0,44
BRIDGE CLEARANCE (M)	2,06
HEIGHT (M)	2,50
NUMBER OF PEOPLE	6
MAXIMUM POWER (HP)	115





## 6 4 O PILOTHOUSE

Comfort: Bright and airy cabin with double berths and chemical WC. Sliding door giving easy access to

the cockpit and co-pilot seat.

Livewell with sea water circulation, picnic table Life on board:

and cooker to prepare the catch of the day. Electric windlass, swinging bow roller, anchor locker, cutting board and swim ladder. Ample

storage and fishing rod holders.

Performance: Standard hydraulic steering.

Security:

Navigation lights, windscreen wiper and bilge

pump standard.

Technology: Speedometer, tachometer and fuel gauge.

Fuel tank (135 L).

O Comfort:

Sliding door giving easy access to the cockpit, bright cabin with double V-berths, chemical WC and co-pilot seat.

D Life on board:

Picnic table and cooker. Electric windlass. swinging bow roller and anchor locker. Ample storage and fishing rod holders. Swim ladder and removable cutting board.

Performance: Standard hydraulic steering.

Security:

Navigation lights, windscreen wiper and bilge

pump standard.


Technology:

Speedometer, tachometer and fuel gauge.

Fuel tank (90 L).

# 640 - 580 PILOTHOUSE


















## 5 3 O PILOTHOUSE

## 5 O O PILOTHOUSE

Ideal for fishing lovers thanks to its cabin with O Comfort:

skylight, folding co-pilot seat, grab rails for easy access to the bow, picnic table, V-berths

for 2 persons.

Swim ladder, ample storage, fishing rod Life on board:

holders and opening deck hatch. Bow roller

and anchor locker.

Navigation lights, windscreen wiper and bilge Security:

pump standard.

Technology: Speedometer, tachometer. Fuel tank (50 L). O Comfort:

Bright offset cabin offering more space and

berths.

D Life on board: Swim ladder, fishing rod holders and ample storage. Bow roller and anchor locker.


Performance: Standard hydraulic steering.

Security: Navigation lights, windscreen wiper and bilge

pump standard.

Technology: Fuel tank (50 L).

# 530 - 500 PILOTHOUSE













SPECIFICATIONS	530	500
LENGTH OF HULL (M)	5,15	5,00
MAX. BEAM (M)	2,39	2,35
DRAFT (M)	0,35	0,36
BRIDGE CLEARANCE (M)	2,10	1,94
HEIGHT (M)	2,45	2,30
NUMBER OF PEOPLE	5	5
MAXIMUM POWER (HP)	90	80





## 5 0 0 FISH

**Spacious cockpit with pilot console.** 

Lateral benches, front and lateral storage

area including a place to stow the optional ice-chest. Anchor locker, oarlocks, swim ladder and stainless steel cleats.

• Optional: Windshield (see picture).

## 4 4 0 FISH

• Comfort: Spacious cockpit with lateral benches and

storage lockers.


• Life on board: Stainless steel cleats, mid-ship benches,

oarlocks, swim ladder, ample storage, front

and lateral storage compartments.

Optional: Pilot console.







SPECIFICATIONS 440 5,00 4,32 LENGTH OF HULL (M) 2,05 1,78 MAX. BEAM (M) 0,35 0,27 DRAFT (M) 1,20 0,77 BRIDGE CLEARANCE (M) 1,55 1,04 HEIGHT (M) NUMBER OF PEOPLE 60 25 MAXIMUM POWER (HP)

FULL SPECIFICATIONS AND EQUIPMENT ON PAGES 38 AND

33





## 4 I O FISH

Comfort: Mid-ship benches and grab rails.

• Life on board: Swim ladder, storage lockers, oarlocks and

stainless steel cleats.

Optional: Pilot console.


## 3 6 0 FISH

• Comfort: Mid-ship benches.

• Life on board: Swim ladder, stainless steel cleats, storage

lockers and oarlocks.













SPECIFICATIONS	410	360
LENGTH OF HULL (M)	3,95	3,62
MAX. BEAM (M)	1,85	1,71
DRAFT (M)	0,30	0,15
BRIDGE CLEARANCE (M)	0,63	0,57
HEIGHT (M)	0,93	0,72
NUMBER OF PEOPLE	4	3
MAXIMUM POWER (HP)	20	10

## ENGINE DETAILS

#### ENGINE POWER AND NAVIGATION

Choose among our vast range of robust and powerful Mercury or Mariner outboard engines or Cummins MerCruiser Diesel engines and sterndrives, the most appreciated of all times.

You'll have the very best and most up-to-the-minute engine power to take your boat out to enjoy the delights of the water.

On top of this, you will benefit from a national and international network of dealers.

### OUTBOARDS

## **MERCURY**

## **MARINER**

#### Mercury:

Being the "#1 on The Water™" means leading the way in every aspect. From products to service to customer satisfaction, Mercury outperforms the competition at every turn. With Verado® for example, Mercury offers an exclusive engine concept that delivers the best 2 stroke performance in a 4 stroke package, with convenience- enhancing features that make every boat ride a unique experience. If your passion is water sports then Mercury OptiMax® is your power of choice. Mercury OptiMax®, rewarded for the third year in a row by JD Power and Associates for customer satisfaction, delivers 2 stroke performance with 4 stroke-like exhaust emission and fuel consumption. Mercury is also the leader in 4 stroke technology with the most modern range of 4 stroke outboards in the industry.

#### Mariner:

At Mariner we never forget the reasons why people choose boating as a hobby. No other sport offers you more possibilities to have fun than boating.

Since you buy a boat for the fun of it, it's important to specify an outboard engine that will help you get the most pleasure from your preferred boating experience. Mariner outboards will ensure you have complete confidence and peace of mind to relax and enjoy.

Mariner outboards are available in a full range of 2 stroke, 4 stroke and supercharged configurations.





## 4 STROKE

Intake, compression, power, exhaust. Those are the stages of four-cycle combustion. Because every combustion series consists of four discrete stages, 4 stroke engines tend to be guieter, smoother and more fuel efficient that traditional 2 strokes, all while producing lower emissions.

## **VERADO® SUPERCHARGED**

Before Verado®, conventional 4 stroke outboards were reliable, but disappointing on performance. The revolutionary Verado® 4 stroke changed that by combining unmatched acceleration and responsiveness, unbeatable torque, precise control and ultra quiet operation, with industry-leading reliability.

## **OPTIMAX®**

A Direct Injected engine that combines the heart, soul, speed and power of a traditional 2 stroke, but with the advantages of a 4 stroke. Its unique two-stage injection system creates a remarkably complete combustion - which means boaters can have a great time on the water while feeling good about conserving fuel and producing fewer emissions.





## MERCRUISER 3.OL 135 HP

The MerCruiser 3.0 L - 135 HP engine starts with the turn of a key. Turn-Key Starting (TKS) offers fuel injection convenience without the fuel injection price. Just put in the key, turn and the engine roars to life. No choking, priming or pumping, even in cold weather.



- Reliability:
- Extra large displacement produces power with good torque.
- Industry-exclusive 3-year limited corrosion failure warranty.
- Performance:
- Optimized intake manifold for improved fuel atomization and smoother power delivery.
- Revised fuel calibration for crisp acceleration and improved running quality.
- Low restriction flame arrestor for added horsepower and torque.
- Easy ownership: 3-year/300 hour maintenance interval on many periodic service items saves time and money.
- Technology:
- · Helm-mounted Audio Warning System monitors oil pressure, engine temperature and drive lube level and provides instant alarm if any of these vary from normal range.
- Available MerCathode® galvanic corrosion prevention system offers unmatched active electronic corrosion protection.
- The Alpha® sterndrive delivers reliable performance in a value package.

## CUMMINS MERCRUISER DIESEL (CMD)

CMD is focused on bringing a greater level of enjoyment, efficiency and reliability to the recreational boater. From a day cruise with your family to a season-long excursion to sportfishing in the islands, CMD engines are built for maximum strength, performance and safety.

The advantages of CMD engines include outstanding fuel economy and range, higher torque for greater power, durability for longer engine life, instant start-up in cold weather, virtually smoke and odor free, lighter weight/increased power and simplified engine information management. All CMD engines are EPA, Tier 2, IMO, RCD and select BSO/SAV certified.



- CMD 2.0L 130 HP 640 WEEKEND
- CMD 2.0L 150 HP 700 WEEKEND

Combining the quiet, smooth performance of a traditional gasoline engine with the added fuel economy, torque and durability of a diesel, this four cylinder compact powerhouse features an advanced ECM with SmartCraft® compatibility to monitor various engine parameters. The QSD2.0 also features advanced components like the integrated heat exchanger and exhaust manifold, which also help reduce overall package size. Impressive acceleration and precise throttle response are the result of a 16 valve cylinder head and a proven common rail fuel system that includes a turbocharger and seawater aftercooler.



	QUICKSILVER®	specifical N	John Line	the the	HULL MENT STATE OF THE STATE OF	n) n) n)	oth Richard	H (M)	tohi se	Sull'in R	of Tank	WITH CAPELLY TANKED TO AND THE TANKED TO THE TANKE	Start Len	and the control of th	Control of the Contro	PEOPLE ASTRUMP	NATHUR PLANTED BY	WE COUNTRION TO THE COUNTRION OF THE COU	Power Power	the state of the s	the spirit spiri	EEEOME T	E Relight Le Relight Control C	LE GAUGE	r Ringhlet	DRAULC P	Stepho Stepho	kring and the state of the stat	MARCLER PT	k Lonsont
	635_WA	6,35	6,25	2,55	0,40	2,25	1,85	1080	135	/	/	XL	С	6	200	147	175	170	250		<b>√</b>	<b>√</b>	√	<b>√</b>	<b>√</b>	√		√	√	<b>√</b>
~	555 WA	5,52	5,35	2,29	0,39	2,06	1,67	760	90	/	/	L	С	5	115	85	100	100	185		<b>√</b>	<b>√</b>	<b>√</b>	√	<b>√</b>	<b>√</b>		√	√	$\sqrt{}$
Ä	635	6,35	6,25	2,55	0,40	2,15	1,75	960	135	/	/	XL	С	7/6	175/200	129/147	150/175	170	250		<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	V	<b>√</b>		√	<b>√</b>	$\sqrt{}$
N N	600	6,20	5,99	2,48	0,35	1,94	1,59	890	135	/	/	XL	С	6	175	129	150	170	250		<b>√</b>	√	√	√	<b>√</b>	√		√	√	
COMMANDER	555	5,52	5,35	2,29	0,38	2,06	1,68	726	90	/	/	L	С	6	115	85	100	100	185		<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>		<b>√</b>	<b>√</b>	V
Ó	525			2,29				600	/	50	/	L	С	6	90	66	60	100	185		√	√				√		√	√	V
O	505	5,20	5,00	2,30	0,35	1,77	1,42	600	50	/	/	L	С	5	90	66	80	100	185		<b>√</b>	<b>√</b>	V	<b>√</b>	V	<b>√</b>		<b>√</b>	<b>√</b>	
	500	5,20	4,97	2,14	0,35	1,65	1,30	550	/	50	/	L	С	5	60	44	50	50	125							<b>√</b>		<b>√</b>	<b>√</b>	
CRUISER	610 540 510 470 430	5,55 5,25 4,83	5,33 4,98 4,67	2,53 2,47 2,33 2,37 2,11	0,42 0,34 0,30	2,00 1,86 1,75	1,58 1,52 1,45	1470 820 600 540 430	135 90 / /	/ / 50 /	/ / / / / / / / / / / / / / / / / / / /	/ L L L	C C C C	6 6 5 5	135 135 90 50	99 99 66 37 37	/ 115 60 50 50	/ 170 100 50 50	/ 210 185 125 125	i	√ √	√ √	√(1) √	√ √	(2) √ √	√ √ √ √ √ √		√ √ √ √	√ √ √ √ √ √	√ √ ◇
WEEKEND	700	7,65	6,96	2,78	0,85	3,05	2,20	2271	135	/	100	/	С	7	150	110	/	/	/		NEW	√	√(1)		√	√	$\sqrt{}$	√	√	
	640 OB	7,30	6,48	2,54	0,49	2,63	2,14	1400	135	/	50	XL	С	6	135	99	115	170	231		$\sqrt{}$	√	$\sqrt{}$	$\sqrt{}$	$\checkmark$	$\sqrt{}$		$\sqrt{}$	$\sqrt{}$	
Щ	640 SD	7,30	6,48	2,54	0,45	2,63	2,18	1660(3)	135	/	50	/	С	6	135	99	/	/	/		$\sqrt{}$	√	√(1)	√	(2)	√		√	√	
	635	6,60	6,45	2,53	0,44	2,50	2,06	1100	135	/	65	L	С	6	115	85	100	100	185		$\sqrt{}$	$\checkmark$	√	$\sqrt{}$	$\checkmark$	√		√	$\sqrt{}$	
JSE	640	6,52	6,29	2,54	0,47	2,65	2,18	1000	135	/	/	L	С	6	115	85	90	100	185		NEW	√	$\sqrt{}$		√	√	$\sqrt{}$	√	√	√
<u>0</u>	580	5,95	5,72	2,54	0,47	2,60	2,13	950	90	/	/	L	С	6	100	74	90	100	185		NEW	<b>√</b>	$\sqrt{}$		$\sqrt{}$		$\sqrt{}$	$\sqrt{}$		$\sqrt{}$
Ė	530	5,38	5,15	2,39	0,35	2,45	2,10	780	/	50	/	L	С	5	90	66	80	100	185		$\sqrt{}$	√				√		√	√	
РІСОТНОС	500			2,35					/	50	/	L	С	5	80	59				I					√	<b>√</b>		V	√	
	500			2,05			_		/	/	7	L	C	6	60	44	40		125										√ ^	
Į.	440			1,78					/	/	/	L	С	4	25	18	20	25	85										<b>◊</b>	
HS:F	410			1,85					/	/	7	L	C	4	20	15													<b>♦</b>	
	360	3,78	3,62	1,71	0,15	0,72	0,57	110		/	/	S	D	3	10	7	10	15	40											

Wingshirth en jon flents					STEEL	BOLT		CKERS	net comparation in the parties of the contract						ints (H)	ECK HATCH		*	gente havor sink he per totel						
4	IMOSHIE	MAYIGATIC	SWIN LAD	Whichos Toc	TAINLES	WINDSCREE	AMIPE.	RACE	sipt stor	RODHOLDER	ocketi ci	Silly DECK	SICHIC TO	ski pole	ABIM LIG	DENING D	ILROP	ALLEYSIN	AP?	CONER	SERTHS,	AVATORY	HENICAL	MCLOSED	OCKPIT ST
	√	√	√	√			√	√	√	$\sqrt{}$	√	√	Р	√	√	√				2		√			4-5
	√	√	√	√			√	√	√	√	√	√	Р	√	√	√				2		√			6-7
	<b>√</b>	√	<b>√</b>	√			√	$\sqrt{}$	<b>√</b>	√	√	√	Р									$\sqrt{}$			8-9
		√	√	√			V		√	V	V	√	Р							1					10-1
	$\sqrt{}$	$\sqrt{}$	V	$\sqrt{}$			√	$\sqrt{}$	$\sqrt{}$	$\sqrt{}$	√	$\sqrt{}$	Р									√			12-1
	√	√	<b>√</b>	√		V	V		<b>√</b>	√	<b>√</b>	√													13
	√ √	√ √	√ √	√ √		√ √	√ √	√ √	√ √	√ √	√ √	√ √	H												14-1
	٧	٧	٧	٧		٧	٧	٧	٧	٧	٧	٧	П												15
	,	,	,	,			,	,		,	,														
	√ /	√	√ ,	√ /			√ ,	√ /	,	√ /	√ ,	,	Н		,	,				2		1			16-1
	√ /	√	√ ′	√ ′			√ /	√ /	√ ′	√	√	V	Р	√ /	√	√ ′				2		V			19
	√ /	√	√ ,	√ /			√	√ /	√	√ /				√		√ ,				2					18-1
	V	√ ′	√ ′	√ ′			√	√		√						V				2					20-2
		$\sqrt{}$	√	√			√	√												2					21
	√	√	√	√	<b>√</b>		√	<b>√</b>	√	√	√	√	-	V	√	√	√	<b>√</b>	√	5	√	√	V	$\sqrt{}$	22-2
	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>		<b>√</b>		<b>√</b>	<b>√</b>		<b>√</b>		V	<b>√</b>		√	<b>√</b>	<b>√</b>	4		<b>√</b>	<b>♦</b>	<b>√</b>	24-2
	$\sqrt{}$	√	<b>√</b>	<b>√</b>	<b>√</b>		<b>√</b>		<b>√</b>	√		<b>√</b>		$\sqrt{}$	√		<b>√</b>	V	<b>√</b>	4		√	<b>♦</b>	$\sqrt{}$	24-2
	$\sqrt{}$	<b>√</b>	<b>√</b>		<b>√</b>		V	<b>√</b>		<b>√</b>		<b>√</b>		$\sqrt{}$	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	√	4	<b>√</b>	√	<b>√</b>		26-2
	,	,	,	,	,		,	,	,	_		,		,	_	_			,	0		,			00.0
	√ ′	√	√ /	√ /	√ ,		√ /	√	√			√		√ /					√ /	2		√			28-2
_	√	√	√	√	√		√	√	√			√		V	,	_			√	2		√			
	√ ′	√	√ ,	√ ,	√		√ /	√	√			V		,	√		-			2					30-3
	$\sqrt{}$		V	$\sqrt{}$	√		$\checkmark$	$\sqrt{}$	$\sqrt{}$					$\sqrt{}$											31
		,		,				,																	70 -
<b>♦</b>		√ /	√	√ /			√ /	√ /																	32-3
		√ 		√			√ /	√																	33
		√ /		√ /			√ /																		35
		$\sqrt{}$		$\sqrt{}$			$\sqrt{}$																		34-3

- √ Standard
- ♦ Optional
- (1) Instrument set for gas & diesel engines consists of: Oil Pressure Gauge, Battery Meter, Water Temperature Gauge. Additional instruments for diesel engines: Cruise Log and Warning Light Panel
- (2) Power Steering
- (3) With maximum power

Quicksilver boats are designed under the direction of Brunswick Marine in EMEA by Jacek Centkowski, Naval Architect; Rostyle Marine; and Andrzej Skrzat.



Some pictures show optional equipment - Check with your dealer for full details.

Brunswick features the world's premier brands in the marine, fitness, bowling and billiards industries. This collection of brands illustrates Brunswick's commitment to delivering the best products to its customers and the industries it serves. It's no wonder every Brunswick brand shapes the joys of life — on the water, in recreation centers, at fitness facilities and in homes around the world. live life well











**BOATS** 

MARINE ENGINES

FITNESS

**BOWLING** 

**BILLIARDS** 





The quality system of Brunswick Marine in EMEA is ISO 9001:2000 certified

#### © 2008 Brunswick Marine in EMEA. All Rights Reserved.

Brunswick Marine in EMEA continuously explores means to improve the products it designs, manufactures and distributes. Every effort is made to produce sales and service literature which is current. Changes to specifications of engines, boats and accessories are engoing. This brochure should not be regarded as a precise guide to the latest specifications. This brochure is also not an offer for sales of any particular engine, boat or accessory. Distributors and dealers are not agents of Brunswick Marine in EMEA or one of its affiliates and they have no authority to bind Brunswick Marine in EMEA by any express undertaking or representation, including but not limited to representations of product, sales, applications or service nature. Not all products are available in all countries and some are available only in limited quantities. Some products shown in this catalogue are equipped with optional accessories. Please see your local dealer.