

1 IDENTIFICATION OF THE PRODUCT AND OF THE COMPANY

Product name : Star brite Boat Bottom Cleaner- 92232, 92200
 Application : Boat maintenance. Cleaner

Manufacturer : Star brite Distributing, Inc.
 Address : 4041 S. W. 47 Avenue
 Ft. Lauderdale, FL 33314, USA
 Telephone : +001- 954-587-6280

Distributor : Star brite Europe Inc.
 Contact : Jean Paul Kitzing

Telephone : +33- 472- 57 01 33
 Fax : +33- 472- 57 04 93

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:



: 001-703-527-3887 - CHEMTREC

2 COMPOSITION / INFORMATION ON CONSTITUENTS

Product description : Preparation.

Information on hazardous substances:

EC-name	Concentration (w/w) (%)	CAS-number	EC-number	Symbols	R-phrases
Hydrochloric acid	5 – 10	7647-01-0	231-595-7	C	34-37
Oxalic acid	1 – 5	144-62-7	205-634-3	Xn	21/22

Reference is made to chapter 16 for full text of each relevant R phrase. Occupational exposure limit(s), if relevant, are listed in section 8.

3 HAZARD INFORMATION

Classification : Irritant.

Human health hazards : Irritating to eyes and skin.

Physical/chemical hazards : Reacts vigorously in contact with bases. Strong heat development possible.

Environmental hazards : Not classified as dangerous on the basis of statutory EC-Directives. See also section 12.

Other information : Keep out of reach of children. If swallowed, seek medical advice immediately and show this container or label.

4 FIRST AID MEASURES

Effects and symptoms

Inhalation : May cause headache, dizziness and a feeling of sickness.

Skin contact : Irritant. May cause dry skin and redness.

Eye contact : Irritant. May cause redness and pain.

Ingestion : May cause a feeling of sickness, vomiting, stomachache and diarrhoea.

First aid measures

Inhalation : Move victim into fresh air. Seek medical advice if victim feels unwell.

Skin contact : Immediately take off contaminated clothing. Wash off skin with plenty of water before product dries up. Consult a doctor if irritation persists.

Eye contact : Wash out with (lukewarm) water for at least 15 minutes. Remove contact lenses. Consult a doctor.

Ingestion : Do not induce vomiting. Rinse the mouth and give water. Do not give milk. Never give anything by mouth to an unconscious person. Consult a doctor immediately.

5 FIRE FIGHTING MEASURES

Extinguishing media
 Suitable : CO2, foam, water fog or dry chemical.
 Not suitable : None known.
 Special exposure hazards : None known.
 Hazardous thermal (de)composition products : Carbon monoxide may be evolved if incomplete combustion occurs. Combustion products are toxic.
 Special protective equipment for fire-fighters : Use self-contained breathing apparatus/ compressed air mask.

6 ACCIDENTAL RELEASE MEASURES

Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. See also section 8.
 Environmental precautions : Avoid release of product into sewers and surface water and/or ground water. Large scale discharge causing a very low pH may impair the biological system in sewage plants. Inform the official bodies if necessary.
 Methods for cleaning up : Collect spilled material in containers. Dispose at an authorised waste collection point. Carefully neutralise residues with soda. Collect neutralized product in containers and dispose as chemical waste. Wash away remainder with plenty of water.

7 HANDLING AND STORAGE

Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Avoid splashing. Avoid contact with eyes and skin. Wear industrial clothing.
 Storage : Keep frost-free, in a cool (< 35°), dry and well-ventilated place. Keep away from food, drink and animal feeding stuffs.
 Recommended packaging : Keep only in the original container.
 Use : Use only as directed.

8 EXPOSURE CONTROL/PERSONAL PROTECTION

Engineering measures : Use only in well-ventilated areas. Comply with standard precautionary measures for working with chemicals.
 Hygienic measures : Do not eat, drink or smoke during use.
 Occupational exposure limits : Occupational exposure limits have not been established for this product.

Workplace exposure limits (mg/m³):

Chemical name		EC	UK		
Hydrogen chloride (gas and aerosol mists)	TWA 8 hour	-	2		
	STEL 15 min	-	8		
Oxalic acid	TWA 8 hour	-	1		
	STEL 15 min	-	2		

Personal protective equipment:
 The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.

Body protection : Use of specific protective industrial clothing is not required for momentary use. See also under additional information.
 Respiratory protection : Take care of sufficient ventilation. Wear a gas filter type AB (brown-grey), class I or higher on e.g. a facemask in accordance with EN 140, in case of large scale exposure
 Hand protection : Wear appropriate safety gloves. See also under additional information.
 Eye protection : Wear appropriate safety glasses with side shields, in accordance with EN 166.

Additional information:

Protective clothing : Wear neoprene protective clothing, overalls or suit, and similar boots in accordance with EN 365/367 resp. 345, in case of frequent or prolonged use and in case of large scale exposure.
 Safety gloves : Wear neoprene gloves. Indication of permeation breakthrough time: non permeable (hydrochloric acid, oxalic acid)

9	PHYSICAL AND CHEMICAL PROPERTIES
----------	---

Appearance : Liquid
 Colour : Colourless
 Odour : Characteristic
 pH : < 1
 Solubility in water : Soluble
 in fat : Not known
 Partition coefficient : Not known
 (n-octanol/water)
 Flash point : Not applicable (PMcc)
 Auto ignition temperature : Not known
 Boiling point/ boiling : ± 100°C
 range
 Melting point/ melting : ± 0°C
 range
 Explosive properties : Not known

 Oxidizing properties : Not known
 Decomposition : Not known
 temperature
 Viscosity (20°C) : Not known
 Vapour pressure (20°C) : Not known
 Relative density (20°C) : ± 1 kg/l
 Evaporation rate : Not known (n-butyl acetate = 1)

10	STABILITY AND REACTIVITY
-----------	---------------------------------

Stability : Stable under normal conditions.
 Conditions to avoid : See section 7.
 Materials to avoid : Avoid contact with alkalines.
 Hazardous : Not known.
 decomposition products

11	TOXICOLOGICAL INFORMATION
-----------	----------------------------------

No toxicological research has been carried out on this product.
 Inhalation : No toxicological effects known.
 Skin contact : Irritating to skin. Prolonged contact may dry out and degrease the skin.
 Eye contact : Irritating to eyes.
 Ingestion : Ingestion may cause vomiting, nausea and diarrhoea.

Toxicological information:

Chemical name	Toxicity (mg/kg)	Irritation	Sensitization
Hydrochloric acid 30 % Oxalic acid	LD ₅₀ : 7500 (rat, oral)	Corrosive Strong irritant (rabbit, eyes) Slight irritant (rabbit, skin)	Not sensitizing Not sensitizing

12	ECOLOGICAL INFORMATION
-----------	-------------------------------

No ecotoxicological research has been carried out on this product.
 Ecotoxicity : No ecotoxicological information available.
 Mobility : Spilled product can penetrate into the ground and get into the surface water and ground water.
 Persistence – : Data on the biodegradation of this product are not available.
 degradability : The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents.
 Bio accumulative : No specific information known.
 potential

13	DISPOSAL CONSIDERATIONS
-----------	--------------------------------

- Product residues : Do not dispose empty pack with regular household waste. Treat product residues and non-empty pack as hazardous waste.
- European waste catalogue : Dispose hazardous waste in accordance with Directive 91/689/EEC under acknowledgement of a waste code according to Commission Decision 2000/532/EC to an official chemical waste depot.
- Comment : Attention is drawn to the possible existence of mandatory and regulatory communal, national or local requirements governing disposal of waste.

14 TRANSPORT

UN number : UN 1789

Transport name : HYDROCHLORIC ACID

Land (road / railway)

ADR/RID class : 8

Classification code : C1

Packaging group : III

Sea

IMDG class : 8

Packaging group : III

EmS (fire/spill): F-A/S-B

Marine Pollutant: No

Air - IATA Class: 8



Information in this section pertains to shipments of the material in limited quantity (up to 5 liter) containers. Shipments in containers greater than 5 liters require flammable sticker.

15 REGULATORY INFORMATION

Community regulations : EC classification (67/548/EEC - 99/45/EC) and other regulations

Hazard symbols : Xi, irritant



R- and S-phrases : R36/38 Irritating to eyes and skin.
 : S2 Keep out of reach of children.
 : S46 If swallowed, seek medical advice immediately and show this container or label.

Other information : Not applicable.

16 OTHER INFORMATION

The information in this safety data sheet is compiled in compliance with Directive 2001/58/EC dated 27 July 2001 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (*).

Full text of R-phrases mentioned in section 2:

R21/22 Harmful in contact with skin and if swallowed.
 R34 Causes burns.
 R37 Irritating to respiratory system.

History

Date of first issue : 21-11-2005